Cucumber Report

| Start : May 16, 12:16:15.145 pm	End : May 16, 12:16:51.082 pm	Duration : 35.937 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 52

Features

1

Scenarios

1

Steps

57

Pass % — 0 %

Pass % — 0 %

Pass % — 7 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	35.937 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Create a accounting Schemes for different products	57	4	1	52	35.931 s

(F)- Check the Functionality of the GL1 Module

FAILED	DURATION - 35.937 s	Scenarios		Steps	
/ 12:16:15.145 pm // 12:16:51.082 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 57 Pass - 4 Fail - 1 Skip - 52	57

(S)- Create a accounting Schemes for different products

FAILED	DURATION - 35.931 s		Steps	
/ 12:16:15.151 pm // 12:16:51.082 pm /			Total - 57 Pass - 4 Fail - 1 Skip - 52	57
Check the Functionality of the GL1 Module				
@KUBS_GL_UAT_006_001				

#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	19.819 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
2	When user click the Accounting setup	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click the accounting scheme definition eye icon	PASSED	0.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
4	And click add icon in GI	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
5	And select accounting book name	FAILED	0.062 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e50948adad911220668939f8c2cba825, clickElement {id=08189814-46d0-4002-be1b-a5b1a7d973c3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64577}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64577/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e50948adad911220668939f8c2cba825)] -> xpath: //ion-row[1]/ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: e50948adad911220668939f8c2cba825
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GL_Module1.select_accounting_book_name(GL_Module1.java:415) at ?.select accounting book name(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:642) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.152 s
6	And enter the Accounting Scheme Code	SKIPPED	0.001 s
7	And enter the Accounting Scheme name	SKIPPED	0.000 s
8	And select expand indicator	SKIPPED	0.000 s
9	And select Transaction Type	SKIPPED	0.001 s
10	And click save buttons	SKIPPED	0.000 s
11	And Click on notification icon	SKIPPED	0.001 s
12	And select the first records	SKIPPED	0.000 s
13	And click add icon in accounting scheme details	SKIPPED	0.000 s
14	And select GL resource	SKIPPED	0.000 s
15	And select CrDr flag	SKIPPED	0.000 s
16	And select parameter String	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
17	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
18	And select parameter	SKIPPED	0.001 s
19	And click add icon in table	SKIPPED	0.000 s
20	And click save button in accounting scheme	SKIPPED	0.001 s
21	And click edit icon in accounting schemes	SKIPPED	0.000 s
22	And select the status in accounting Scheme details	SKIPPED	0.000 s
23	And click save button in accounting scheme	SKIPPED	0.001 s
24	And click add icon in accounting scheme details	SKIPPED	0.000 s
25	And select GL resource	SKIPPED	0.000 s
26	And select Cr flag	SKIPPED	0.000 s
27	And select parameter String	SKIPPED	0.001 s
28	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
29	And select parameter	SKIPPED	0.000 s
30	And click add icon in table	SKIPPED	0.000 s
31	And click save button in accounting scheme	SKIPPED	0.001 s
32	And click edit icon in accounting schemes	SKIPPED	0.000 s
33	And select the status in accounting Scheme details	SKIPPED	0.000 s
34	And click save button in accounting scheme	SKIPPED	0.000 s
35	And Click on notification icon	SKIPPED	0.000 s
36	And select the first record	SKIPPED	0.000 s
37	And click on submit buttons	SKIPPED	0.000 s
38	And enter remark in alert tab	SKIPPED	0.001 s
39	And click on submits	SKIPPED	0.000 s
40	Given Azentio Url login as Reviewer	SKIPPED	0.001 s
41	Then Click on Reviewer Notification icon	SKIPPED	0.001 s
42	And Click on to Reviewer Action button	SKIPPED	0.000 s
43	Then Click on to Approve button in Reviewer	SKIPPED	0.001 s
44	And Submit the record in reviewer	SKIPPED	0.000 s
45	Given Azentio Url login as checker page	SKIPPED	0.001 s
46	Then click on the security management	SKIPPED	0.000 s
47	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
48	Then Click the claim option icon	SKIPPED	0.000 s
49	And Click on the checker notification icon	SKIPPED	0.001 s
50	Then click the checker action icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
51	And Approve the Record in checker	SKIPPED	0.000 s
52	Then Submit the Record in checker	SKIPPED	0.000 s
53	Given Login as a Azentio Maker	SKIPPED	0.000 s
54	When user click the Accounting setup	SKIPPED	0.000 s
55	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
56	And click add icon in GI	SKIPPED	0.000 s
57	Then verify System should triggered the applied rule for the accounting scheme	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a accounting Schemes for different products	
(F) Check the Functionality of the GL1 Module	

Kastle Universal Banking (Beta)   19-Apr-2023 English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration
- Financial Audit Configuration

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a accounting Schemes for different products	
(F) Check the Functionality of the GL1 Module	

Kastle Universal Banking (Beta)   19-Apr-2023 English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

Welcome, anant

- Business partner setup
- General ledger configurat...
- Accounting setup
  - Accounting book definition
  - Account Category
  - Chart of accounts definition
  - Accounting scheme definition
  - Accounting scheme event mapping
  - Financial statements configuration

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a accounting Schemes for different products

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a accounting Schemes for different products

(F) Check the Functionality of the GL1 Module