


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	21.865 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Cancellation of Advance (Against PO)	15	12	1	2	21.857 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 21.865 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 1:36:11.851 pm	n // 1:36:33.716 pm /	Pass - 0	1	Pass - 12	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Cancellation of Advance (Against PO)



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.930 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
	■ The state of th		
2	Then Choose the second Tab Segment	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		


3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 creenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 6 Then Enter Cancelled Value In Advance Status PASSED O.333 s PASSED O.341 s O.339 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber		Was Was		
screenshot Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	3	And Click On Main module Accounts Receivable	PASSED	0.130 s
Then Click on Accounts Receive Advances Eye Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon Add Click On Search Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Add Click On Search Icon Ad		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Cancelled Value In Advance Status PASSED 0.373 s 0.269 s 0.269 s 0.145 s 0.231 s 0.331 s 0.331 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Cancelled Value In Advance Status PASSED 0.269 s		Provide G 0 T T T T T T T T T T T T T T T T T T		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Enter Cancelled Value In Advance Status PASSED D.145 s PASSED 0.231 s PASSED 0.231 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.373 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The Inter Cancelled Value In Advance Status PASSED Description: PASSED O.145 s PASSED O.231 s PASSED O.539 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.231 s PASSED 0.231 s		1	_	
Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.539 s	5	And Click On Search Icon	PASSED	0.145 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.539 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.539 s		screenshot		
		District # 0 0 0 / Widths make canadatique AVE, SAND inspire 10		
	6	Then Enter Cancelled Value In Advance Status	PASSED	0.539 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
	Company Comp		
8	And Get The Business Partner and Advance Number	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	Screenshot Output O		
9	And Click On Main module Accounts payable	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.197 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		


#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
	** O		
12	Then Enter payment option	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	■ ** *** *** *** *** *** *** *** *** **		
13	And Give stored Business partner Name	FAILED	0.075 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb41e778342b13755507d83d7060e03c, executeScript {script=return document.getElementsByName('advanceNo')[1].value, args=[]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61231}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61231/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb41e778342b13755507d83d7060e03c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.ARAP_CancellationOfGRN.give_stored_business_partner_name(ARAP_CancellationOfGRN.java:643) at ?.Give stored Business partner Name(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:116) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.116 s
14	Then Choose value date as System current date	SKIPPED	0.000 s
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s

EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 12 --



EXPANDED SECTION

-- 13 --



EXPANDED SECTION -- 14 --

