

Cucumber Report

9 Jan 2023, 1:16:01 PM

Start : Jan 09, 1:15:07.813 PM

End : Jan 09, 1:15:58.558 PM

Duration : 50.745 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	50.745 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create denomination details</u>	7	1	1	5	50.739 s


(F)- Check the Functionality of Inventory


FAILED	DURATION - 50.745 s	Scenarios		Steps	
/ 1:15:07.813 PM // 1:15:58.558 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


(S)- Create denomination details

<div>FAILED</div> <div>DURATION - 50.739 s</div>			Steps	
/ 1:15:07.819 PM // 1:15:58.558 PM /			Total - 7	
Check the Functionality of Inventory			Pass - 1	
@KUBS_INV_MGMT_UAT_002_002_01			Fail - 1	
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	43.560 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.890 s
	screenshot		
			
2	And user should navigate to denomination master menu	FAILED	0.676 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollToElement(JavascriptHelper.java:36) at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster. user_should_navigate_to_denomination_master_menu(INVENTORY_MAINTENANCE_DenominationMaster.java:57) at ?user should navigate to denomination master menu(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:6) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
			
3	When click on eye button of denomination master	SKIPPED	0.000 s
4	And click on add button to create denomination details	SKIPPED	0.000 s
5	And user update the data set ID for denomination	SKIPPED	0.000 s
6	And Fill the required fields to create denomination details	SKIPPED	0.000 s
7	Then Save and submit the creation denomination details	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create denomination details</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create denomination details</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	