Cucumber Report

| Start : Nov 07, 7:06:24.406 PM	End : Nov 07, 7:11:18.070 PM	Duration : 4 m 53.664 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 10

Features: 1

Scenarios: 1

Steps: 16

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 31 %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	4 m 53.664 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create GRN against above create PO for above vendor	16	5	1	10	4 m 53.661 s

(F)- AR/AP Module

FAILED	DURATION - 4 m 53.664 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 7:06:24.406 PM // 7:11:18.070 PM /		Pass - 0	1	Pass - 5	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Create GRN against above create PO for above vendor

FAILED	DURATION - 4 m 53.661 s		Steps
/ 7:06:24.409 PM // 7:11:18.070 PM /			Total - 16
AR/AP Module			Pass - 5
@KUBS_AR/AP_UAT_001_001_TC_003_01			Fail - 1
			Skip - 10

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	+		
2	And user should navigate to accounts payable menu	PASSED	2.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
	+		
4	Then Click on Good Recived Note GRN Add button	PASSED	4 m 31.547 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	+		
5	And user update the data set ID for GRN	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	+		
6	Then Fill the form for GRN	FAILED	2.254 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31f99137d3ef05e6940826aa62b649ce, clickElement {id=1c894895-243e-4ea8-bde0-df520e569fd8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61029}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61029/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS		

#	Step / Hook Details	Status	Duration

	(31f99137d3ef05e6940826aa62b649ce)] -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 31f99137d3ef05e6940826aa62b649ce
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.AccountsPayable_GRN.fill_the_form_for_grn(AccountsPayable_GRN.java:91)
	    at ?.Fill the form for GRN(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:85)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.137 s
7	Then click on the Notification icon	SKIPPED	0.000 s
8	Then Search the grn record	SKIPPED	0.000 s
9	And open the grn record	SKIPPED	0.000 s
10	Then Click on Item Details Tab	SKIPPED	0.001 s
11	Then Select PO Number	SKIPPED	0.000 s
12	Then Add qty received qty approved	SKIPPED	0.000 s
13	And Save the Record from maker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then click on the Notification icon	SKIPPED	0.000 s
15	Then store the Reference ID and open the GRN record	SKIPPED	0.000 s
16	Then click submit and enter remark for GRN record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO for above vendor

(F) AR/AP Module