# Cucumber Report

| Start : Feb 02, 10:41:14.676 AM | End : Feb 02, 10:44:23.334 AM | Duration : 3 m 8.658 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 12 <br> FAILED - 1 <br> SKIPPED - 0 |

Features: 1

Scenarios: 1

Steps: 13

Pass %: 0 %

Pass %: 0 %

Pass %: 92 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify the reports for fixed asset | 1 | 0 | 1 | 0 | 3 m 8.658 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the reports for fixed asset | Check Asset GL | 13 | 12 | 1 | 0 | 3 m 8.649 s |

## (F)- To verify the reports for fixed asset

| FAILED | DURATION - 3 m 8.658 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 13 | |
| / 10:41:14.676 AM // 10:44:23.334 AM / | | Pass - 0 | 1 | Pass - 12 | 13 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- Check Asset GL

| FAILED | DURATION - 3 m 8.649 s | | Steps | |
|---|---|---|---|---|
| / 10:41:14.685 AM // 10:44:23.334 AM / | | | Total - 13 | |
| To verify the reports for fixed asset | | | Pass - 12 | 13 |
| @KUBS_FAT_UAT_013_005_AssetGl | | | Fail - 1 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 1 m 45.268 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.454 s |
| | screenshot | | |
| |  + | | |
| 2 | Then click on report segment button | PASSED | 4.037 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.335 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And click on equiry menu | PASSED | 0.456 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.321 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on edit icon near by fiancial transaction menu | PASSED | 1.448 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.552 s |
| | screenshot | | |
| |  | | |
| 5 | And choose branch code | PASSED | 0.532 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.317 s |
| | screenshot | | |
| |  | | |
| 6 | And choose GI code | PASSED | 0.744 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.305 s |
| | screenshot | | |
| |  | | |
| 7 | Then Get the system date for asset ammenment report | PASSED | 1.940 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.318 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | And click on transaction from date calender icon | PASSED | 0.413 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.413 s |
| | screenshot | | |
| |  | | |
| 9 | Then choose the from date | PASSED | 0.410 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.348 s |
| | screenshot | | |
| |  | | |
| 10 | And click on the transaction to date calender icon | PASSED | 0.574 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.397 s |
| | screenshot | | |
| |  | | |
| 11 | Then choose the to date | PASSED | 0.424 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.337 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 12 | And click on view button | PASSED | 3.445 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 19.178 s |
| | screenshot | | |
| |  | | |
| 13 | Then validate voucher number | FAILED | 2.112 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[8]/a/i"}   (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2f7bcf948916cc87bea44bacef75c8f6, findElement {using=xpath, value=//li[8]/a/i}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55550}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55550/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2f7bcf948916cc87bea44bacef75c8f6<br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)<br>at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)<br>at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)<br>at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1006)<br>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br>at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)<br>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)<br>at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)<br>at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)<br>at stepdefinitions.InventoryManagament.validate_voucher_number(InventoryManagament.java:1715)<br>at ?.validate voucher number(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/ AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:184)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot | PASSED | 0.262 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset