

# Cucumber Report

10-May-2022, 12:25:48 pm

**Start : May 10, 12:25:14.729 pm**

**End : May 10, 12:25:46.970 pm**

**Duration : 32.241 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 7**


**FAILED - 1**

**SKIPPED - 22**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL1 Module</u>	1	0	1	0	32.241 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL1 Module</u>	<u>Create an accounting base templet for accounting book for legal entity</u>	30	7	1	22	32.233 s

**(F)- Check the Functionality of the GL1 Module**



<b>FAILED</b>	<b>DURATION - 32.241 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 30 Pass - 7 Fail - 1 Skip - 22	
/ 12:25:14.729 pm // 12:25:46.970 pm /					


**(S)- Create an accounting base templet for accounting book for legal entity**

<div>FAILED</div> <div>DURATION - 32.233 s</div>		<div></div>	<div>Steps</div> <div>Total - 30</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 22</div>	<div></div>
/ 12:25:14.737 pm // 12:25:46.970 pm /				
Check the Functionality of the GL1 Module				
@KUBS_GL_UAT_001_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	14.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
2	And Click on Accounting Setup module	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click sub module Accounting book definition	PASSED	0.523 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		
			
4	And Click on Add icon	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
			
5	Then Choose the Template Type of Base Template	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
			
6	And Enter Book Name	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Select system date as Effective date	PASSED	1.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot 		
8	And Choose the Book Type what you Need	FAILED	1.184 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="abaa0d16f9dd"&gt; is not clickable at point (479, 268). Other element would receive the click: &lt;div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"&gt;&lt;/div&gt; (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [84b165a391791acbb62f33659c564b82, clickElement {id=de80ef25-bef4-48e2-91ba-a097a8321afc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53841}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53841/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (84b165a391791acbb62f33659c564b82)] -&gt; xpath: //ion-col[6]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: 84b165a391791acbb62f33659c564b82</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL1_Accounting_Book_Definition.choose_the_book_type_what_you_need(GL1_Accounting_Book_Definition.java:124) at ?.Choose the Book Type what you Need(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.125 s
9	Then Enter the Remark	SKIPPED	0.001 s
10	And Save the Record	SKIPPED	0.000 s
11	Then click on the Maker icon button	SKIPPED	0.001 s
12	And click on the Record submit	SKIPPED	0.000 s
13	Given Azentio Url login as Reviewer	SKIPPED	0.001 s
14	Then Click on Reviewer Notification icon	SKIPPED	0.000 s
15	And Click on to Reviewer Action button	SKIPPED	0.001 s
16	Then Click on to Approve button in Reviewer	SKIPPED	0.000 s
17	And Submit the record in reviewer	SKIPPED	0.001 s
18	Given Azentio Url login as checker page	SKIPPED	0.000 s
19	Then click on the security management	SKIPPED	0.000 s
20	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
21	Then Click the claim option icon	SKIPPED	0.000 s
22	And Click on the checker notification icon	SKIPPED	0.000 s
23	Then click the checker action icon	SKIPPED	0.000 s
24	And Approve the Record in checker	SKIPPED	0.000 s
25	Then Submit the Record in checker	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity


(F) Check the Functionality of the GL1  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity


(F) Check the Functionality of the GL1  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity


(F) Check the Functionality of the GL1  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity

(F) Check the Functionality of the GL1  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

\* Template Type  
Base Template x

\* Book Name

\* Effective Date  
10-May-2022

\* Book Type

\* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

\* Template Type  
Base Template x

\* Book Name  
Testing\_32671

\* Effective Date  
10-May-2022

\* Book Type

\* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

\* Template Type  
Base Template x

\* Book Name  
Testing\_32671

\* Effective Date  
10-May-2022

\* Book Type

\* Remarks

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create an accounting base templet for  
accounting book for legal entity

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

\* Template Type  
Base Template x

\* Book Name  
Testing\_32671

\* Effective Date  
10-May-2022

\* Book Type

\* Remarks

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference