

Cucumber Report

Mar 31, 2022, 2:50:31 PM

Start : Mar 31, 2:48:32.125 PM

End : Mar 31, 2:50:31.039 PM

Duration : 1 m 58.914 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 55







#	Feature Name	T	P	F	S	Duration
1	<u>testing the General Ledger Module</u>	1	0	1	0	1 m 58.914 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	Create a accounting Schemes for different products	56	0	1	55	1 m 58.911 s

(F)- testing the General Ledger Module

FAILED	DURATION - 1 m 58.914 s	Scenarios		Steps	
/ 2:48:32.125 PM // 2:50:31.039 PM /		Total - 1		Total - 56	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 55	

(S)- Create a accounting Schemes for different products

<div>FAILED</div> <div>DURATION - 1 m 58.911 s</div>			Steps		
/ 2:48:32.128 PM // 2:50:31.039 PM /			Total - 56		
testing the General Ledger Module			Pass - 0		
@KUBS_GL_UAT_006_001			Fail - 1		
			Skip - 55		

#	Step / Hook Details	Status	Duration
1	<p>Given Login as a Azentio Maker</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ceda4c79c23b5af51b7c15cf8a5b758, findElement {using=xpath, value=//ion-title[contains(text(),'Welcome,')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58635}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58635/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ceda4c79c23b5af51b7c15cf8a5b758</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	1 m 44.326 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AzentioLogin.loginToAzentioApp(AzentioLogin.java:42) at stepdefinitions.GL_Module.login_as_a_azentio_maker(GL_Module.java:46) at ?.Login as a Azentio Maker(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/GL_Module.feature:92) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ceda4c79c23b5af51b7c15cf8a5b758, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL...}, goog:chromeOptions: {debuggerAddress: localhost:58635}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58635/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ceda4c79c23b5af51b7c15cf8a5b758 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) </pre>	FAILED	12.021 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
2	When user click the Accounting setup	SKIPPED	0.000 s
3	And click the accounting scheme definition eye icon	SKIPPED	0.000 s
4	And click add icon in GI	SKIPPED	0.000 s
5	And select accounting book name	SKIPPED	0.000 s
6	And enter the Accounting Scheme Code	SKIPPED	0.000 s
7	And enter the Accounting Scheme name	SKIPPED	0.000 s
8	And select expand indicator	SKIPPED	0.000 s
9	And select Transaction Type	SKIPPED	0.000 s
10	And click save button	SKIPPED	0.000 s
11	And Click on notification icon	SKIPPED	0.000 s
12	And select the first record	SKIPPED	0.000 s
13	And click add icon in accounting scheme details	SKIPPED	0.000 s
14	And select GL resource	SKIPPED	0.000 s
15	And select CrDr flag	SKIPPED	0.000 s
16	And select parameter String	SKIPPED	0.000 s
17	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
18	And select parameter	SKIPPED	0.000 s
19	And click add icon in table	SKIPPED	0.000 s
20	And click save button in accounting scheme	SKIPPED	0.000 s
21	And click edit icon in accounting schemes	SKIPPED	0.003 s
22	And select the status in accounting Scheme details	SKIPPED	0.001 s
23	And click save button in accounting scheme	SKIPPED	0.000 s
24	And click add icon in accounting scheme details	SKIPPED	0.000 s
25	And select GL resource	SKIPPED	0.001 s
26	And select Cr flag	SKIPPED	0.000 s
27	And select parameter String	SKIPPED	0.000 s
28	And select expand indicator in accounting Scheme details	SKIPPED	0.001 s
29	And select parameter	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
30	And click add icon in table	SKIPPED	0.000 s
31	And click save button in accounting scheme	SKIPPED	0.000 s
32	And click edit icon in accounting schemes	SKIPPED	0.000 s
33	And select the status in accounting Scheme details	SKIPPED	0.000 s
34	And click save button in accounting scheme	SKIPPED	0.000 s
35	And Click on notification icon	SKIPPED	0.000 s
36	And select the first record	SKIPPED	0.000 s
37	And click on submit button	SKIPPED	0.000 s
38	And enter remark in alert tab	SKIPPED	0.000 s
39	And click on submit	SKIPPED	0.000 s
40	Given Navigate to Url and login as a reviewer	SKIPPED	0.000 s
41	Then Click on Notification button	SKIPPED	0.000 s
42	Then Click on action button	SKIPPED	0.000 s
43	Then Approve the record in Reviewer	SKIPPED	0.000 s
44	And Give Remark and Submit	SKIPPED	0.000 s
45	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
46	Then Click the Notification icon	SKIPPED	0.000 s
47	And Click on security management	SKIPPED	0.000 s
48	Then Click on open pool	SKIPPED	0.000 s
49	And Click on claim button	SKIPPED	0.000 s
50	Then click on notification	SKIPPED	0.000 s
51	Then approve the records	SKIPPED	0.000 s
52	Given Login as a Azentio Maker	SKIPPED	0.001 s
53	When user click the Accounting setup	SKIPPED	0.000 s
54	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
55	And click add icon in GI	SKIPPED	0.000 s
56	Then verify System should triggered the applied rule for the accounting scheme	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.229 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ceda4c79c23b5af51b7c15cf8a5b758, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58635}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58635/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ceda4c79c23b5af51b7c15cf8a5b758 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		