


FEATURES SUMMARY -- 2 --



| # | Feature Name                          | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|----------|
| 1 | Check the Functionality of Petty cash | 1 | 0 | 1 | 0 | 23.144 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name                          | Scenario Name         | T  | P | F | S  | Duration |
|---|---------------------------------------|-----------------------|----|---|---|----|----------|
| 1 | Check the Functionality of Petty cash | Create Employee Limit | 27 | 8 | 1 | 18 | 23.138 s |

DETAILED SECTION -- 4 --

## **(F)-** Check the Functionality of Petty cash

| FAILED        | DURATION - 23.144 s    | Scenarios |   | Steps      |    |
|---------------|------------------------|-----------|---|------------|----|
|               |                        | Total - 1 |   | Total - 27 |    |
| / 4:55:09.448 | pm // 4:55:32.592 pm / | Pass - 0  | 1 | Pass - 8   | 27 |
|               |                        | Fail - 1  |   | Fail - 1   |    |
|               |                        | Skip - 0  |   | Skip - 18  |    |

## **(S)- Create Employee Limit**



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate The Azentio Url   | PASSED | 14.892 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s  |
|   | screenshot   |        |          |
|   | # The SEC                                    |        |          |
| 2 | Then Click on Pettycash Configuration  | PASSED | 0.149 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.200 s  |
|   | screenshot   |        |          |

| 3 And Click on Employee Limit  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.218 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.281 s  PASSED  0.281 s  0.166 s   | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Choose Employee Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.218 s  PASSED  0.302 s  4 And Choose Employee Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.166 s  |   |  |        |          |
| Screenshot  4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Choose Employee Value  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  | 3 |  | PASSED |          |
| 4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Choose Employee Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  D.281 s  O.281 s  O.281 s   |   |  | PASSED | 0.285 s  |
| 4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Contact  |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Choose Employee Value  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.302 s  PASSED  0.302 s   |   | Comparation    |        |          |
| Screenshot  5 And Choose Employee Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################   | 4 | Then Click on Add Icon in Petty cash   | PASSED | 0.218 s  |
| 5 And Choose Employee Value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The step is th |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.302 s  |
| 5 And Choose Employee Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ###################################   |   |  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot    PASSED   0.166 s   |   | O   Name   Name   O   Name   O  |        |          |
| Screenshot   | 5 | And Choose Employee Value  | PASSED | 0.281 s  |
| # \$\change{\chang{\chang{\chang{\change{\change{\chang{\change{\chang{\change{\chang{\change{\change{\change{\c       |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.166 s  |
|  |   | screenshot   |        |          |
| © year-region:   |   | Water   Wate |        |          |
| 6 Then Enter Advance Limit PASSED 0.167 s  | 6 | Then Enter Advance Limit   | PASSED | 0.167 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.134 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.134 s  |
| screenshot   |   | screenshot   |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Part of part inclination of the part of part inclination of the part of part inclination of the part of part o |        |          |
| 7 | And Choose Employee Currency value   | PASSED | 0.294 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.166 s  |
|   | screenshot   |        |          |
|   | ### OF THE PROPERTY OF THE PRO |        |          |
| 8 | Then save Record in Petty cash   | PASSED | 0.113 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.234 s  |
|   | Screenshot   Output  O |        |          |
| 9 | Then Goto The Notification Icon  | FAILED | 1.158 s  |
|   | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-nnm-c276="" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-router-link="/inbox" routerlink="/inbox" tabindex="0"></ion-button> is not clickable at point (1254, 28). Other element would receive the click: <div aria-label="Employee Advance Limit" class="ng-tns-c135-0 toast-title ng-star-inserted" style=""></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [95b3aac68ddd2c1e348c258f0d8ec93c, clickElement {id=cf55e523-dc8c-476e-b309-395158218146}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56140}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56140/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (95b3aac68ddd2c1e348c258f0d8ec93c] -> xpath: //ion-button[@ng-reflect-router-link='/inbox']] Session ID: 95b3aac68ddd2c1e348c258f0d8ec93c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.eservice.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(ColegatingMethodAccessorImpl.java:43) at java.base/jdk.proxy2.sproxy46.click(Unknown Source) at java.base/jdk.proxy2.sproxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.goto_the_notification_icon(ARAP_AccountsReceivable_AccountsPayable.java:1197) at ?.Goto The Notification lcon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ Petty_Cash.feature:44)  Not di | PASSED  | 0.189 s  |
|    | screenshot   | FASSED  | 0.109 5  |
|    | # ** ** ** ** ** ** ** ** ** ** ** ** **   |         |          |
| 10 | And Store the Referance Id and Open the Record   | SKIPPED | 0.000 s  |
| 11 | Then Click submit button and Enter Remark submit it  | SKIPPED | 0.000 s  |
| 12 | Given Navigate as a Reviewer   | SKIPPED | 0.000 s  |
| 13 | Then click on Notify icon  | SKIPPED | 0.000 s  |
| 14 | And Click First record Action icon   | SKIPPED | 0.000 s  |
| 15 | Then Approve the record in Reviewer  | SKIPPED | 0.000 s  |
| 16 | And Give Remark and Submit   | SKIPPED | 0.000 s  |
| 17 | Given Navigate as a Checker  | SKIPPED | 0.001 s  |


DETAILED SECTION -- 8 --

| #  | Step / Hook Details                      | Status  | Duration |
|----|--|---------|----------|
| 18 | Then Click module security management    | SKIPPED | 0.000 s  |
| 19 | And Claim the Record in Checker          | SKIPPED | 0.000 s  |
| 20 | Then Goto the Checker notification Icon  | SKIPPED | 0.000 s  |
| 21 | And Click the First Action Icon          | SKIPPED | 0.001 s  |
| 22 | Then Approve the Record in checker stage | SKIPPED | 0.000 s  |
| 23 | And Give the Remark and Submit it        | SKIPPED | 0.001 s  |
| 24 | Given Navigate The Azentio Url           | SKIPPED | 0.000 s  |
| 25 | Then Click on Pettycash Configuration    | SKIPPED | 0.000 s  |
| 26 | And Click on Employee Limit              | SKIPPED | 0.000 s  |
| 27 | Then Click on Table Row First Eye Icon   | SKIPPED | 0.001 s  |


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

