
Duration: 29.712 s Start: Feb 04, 8:41:12.212 AM End: Feb 04, 8:41:41.924 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 18 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	1	0	1	0	29.712 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	Create denomination details	18	0	1	17	29.706 s

DETAILED SECTION -- 4 --

(F)- INVENTORY MAINTENANCE

FAILED	DURATION - 29.712 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 8:41:12.212 AN	M // 8:41:41.924 AM /	Pass - 0	1	Pass - 0	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- Create denomination details



#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	FAILED	20.713 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40f6b20e23bddfb8de3e19d843c9400c, clickElement fid=8d075116-6fe2-4eb2-b8b6-4d6f4f7f62cd]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53112}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53112/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300001, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (40f6b20e23bddfb8de3e19d843c9400c)] -> xpath: //ion-item[2]/ion-radio] Session ID: 40f6b20e23bddfb8de3e19d843c9400c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		2011 20 0

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46)		
	at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster.		
	user_should_navigate_to_the_kubs_url_and_login_as_a_maker_user(INVENTORY_MAINTENANCE_DenominationMaster.java:50)		
	at ?.User should navigate to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/INVENTORY_MAINTENANCE_DenominationMaster.feature:6)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.580 s
	screenshot	17.0022	2.000 0
	The state of the s		
2	And user should navigate to denomination master menu	SKIPPED	0.000 s
3	When click on eye button of denomination master	SKIPPED	0.000 s
4	And click on add button to create denomination details	SKIPPED	0.000 s
5	And Fill the required fields to create denomination details	SKIPPED	0.000 s
6	Then Save and submit the creation denomination details	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the denomination details	SKIPPED	0.000 s
17	And system should show the prompt message	SKIPPED	0.000 s
18	And checker logout	SKIPPED	0.000 s

EXPANDED SECTION -- 7

