# Cucumber Report

| *Start : Mar 10, 10:59:08.860 AM* | *End : Mar 10, 10:59:35.935 AM* | **Duration : 27.075 s** |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |

| | | |
|:---:|:---:|:---:|
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 9<br>FAILED - 1<br>SKIPPED - 89 |
| 1 | 1 | 99 |
| 0 % | 0 % | 9 % |

**# of Scenarios**

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Test the transfer | 1 | 0 | 1 | 0 | 27.075 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Test the transfer | Check the Write Off for an undertaken asset from other branch (usage life exhausted) | 99 | 9 | 1 | 89 | 27.069 s |

## (F)- Test the transfer

| FAILED | DURATION - 27.075 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 99 | |
| / 10:59:08.860 AM // 10:59:35.935 AM / | | Pass - 0 | 1 | Pass - 9 | 99 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 89 | |

## (S)- Check the Write Off for an undertaken asset from other branch (usage life exhausted)

| FAILED | DURATION - 27.069 s | | Steps | |
|---|---|---|---|---|
| / 10:59:08.866 AM // 10:59:35.935 AM / | | | Total - 99 | |
| Test the transfer | | | Pass - 9 | 99 |
| | | | Fail - 1 | |
| @KUBS_FAT_UAT_010_009 | | | Skip - 89 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to KUBS URL and login with maker credentials | PASSED | 15.195 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |
| | | | |
| 2 | And click on fixed asset main module | PASSED | 0.640 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And goto asset creation module | PASSED | 0.256 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.495 s |
| | screenshot | | |
| |  | | |
| 4 | Then search the asset reference number which we going to do undertaking | PASSED | 2.146 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.127 s |
| | screenshot | | |
| |  | | |
| 5 | Then check if the asset life is exhausted | PASSED | 1.484 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.145 s |
| | screenshot | | |
| |  | | |
| 6 | And Goto Asset Transfer | PASSED | 0.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.455 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And click on Add Icon | PASSED | 0.227 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.251 s |
| | screenshot | | |
| |  | | |
| 8 | And enter asset reerence Number | PASSED | 0.624 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.123 s |
| | screenshot | | |
| |  | | |
| 9 | And enter new ranch | PASSED | 0.246 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.169 s |
| | screenshot | | |
| |  | | |
| 10 | And enter transfer as yes and save the record | FAILED | 0.022 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-body-cell/div/app-kub-lov/ion-select"}   (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b2b5d28eb5b27750853160694de8622, findElement {using=xpath, value=//datatable-body-cell/div/app-kub-lov/ion-select}] | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64612}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64612/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7b2b5d28eb5b27750853160694de8622<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>    at stepdefinitions.FIXEDASSET_AssetImpairement.enter_transfer_as_yes_and_save_the_record(FIXEDASSET_AssetImpairement.java:776)<br>    at ?.enter transfer as yes and save the record(file:///C:/Users/inindc00076/git/repository4/Anandh_AzentioAutomationFramework1/src/test/java/features/TestFeature.feature:14)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br> | PASSED | 0.167 s |
| 11 | Then click on notification button | SKIPPED | 0.000 s |
| 12 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 13 | And click on Submit button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 14 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 15 | Then click on submit button in alert | SKIPPED | 0.001 s |
| 16 | And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage | SKIPPED | 0.000 s |
| 17 | Then logout from maker | SKIPPED | 0.001 s |
| 18 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 19 | Then click on notification button | SKIPPED | 0.000 s |
| 20 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 21 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 22 | And enter the remark in alert | SKIPPED | 0.000 s |
| 23 | Then click on submit in alert | SKIPPED | 0.000 s |
| 24 | And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage | SKIPPED | 0.005 s |
| 25 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 26 | And logout from reviewer | SKIPPED | 0.000 s |
| 27 | And login with reviewer credentials | SKIPPED | 0.001 s |
| 28 | Then click on notification button | SKIPPED | 0.000 s |
| 29 | And select our record in notification records using reference ID | SKIPPED | 0.001 s |
| 30 | And enter transfer as yes and save the record in second reviewer | SKIPPED | 0.000 s |
| 31 | Then click on notification button | SKIPPED | 0.001 s |
| 32 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 33 | And click on Submit button | SKIPPED | 0.001 s |
| 34 | And enter the remark in alert | SKIPPED | 0.000 s |
| 35 | Then click on submit in alert | SKIPPED | 0.000 s |
| 36 | And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage | SKIPPED | 0.001 s |
| 37 | And logout from reviewer | SKIPPED | 0.000 s |
| 38 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 39 | Then click on notification button | SKIPPED | 0.000 s |
| 40 | And select our record in notification records using reference ID | SKIPPED | 0.001 s |
| 41 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 42 | And enter the remark in alert | SKIPPED | 0.001 s |
| 43 | Then click on submit in alert | SKIPPED | 0.000 s |
| 44 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 45 | And logout from reviewer | SKIPPED | 0.001 s |
| 46 | And login with Maker ID | SKIPPED | 0.000 s |
| 47 | And click on fixed asset main module | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 48 | And go to asset undertaking module | SKIPPED | 0.001 s |
| 49 | And click on search | SKIPPED | 0.000 s |
| 50 | And check the asset reference number is available in the undertaking module | SKIPPED | 0.000 s |
| 51 | And get the text of asset code and transfered branch name | SKIPPED | 0.000 s |
| 52 | And choose configuration option | SKIPPED | 0.000 s |
| 53 | And click on entity maintenece | SKIPPED | 0.000 s |
| 54 | And click on view button near by legal entity branches | SKIPPED | 0.001 s |
| 55 | And click on search | SKIPPED | 0.000 s |
| 56 | And search the brach name and get the branch code | SKIPPED | 0.000 s |
| 57 | And choose finance option | SKIPPED | 0.000 s |
| 58 | And click on fixed asset configuration | SKIPPED | 0.000 s |
| 59 | And the click on view button near by serail number setup | SKIPPED | 0.000 s |
| 60 | And click on search | SKIPPED | 0.000 s |
| 61 | And serach the asset code and get the last serail number | SKIPPED | 0.000 s |
| 62 | And click on fixed asset main Module | SKIPPED | 0.000 s |
| 63 | And click on view button near by asset impairement module | SKIPPED | 0.000 s |
| 64 | And click on Add Icon | SKIPPED | 0.000 s |
| 65 | Then Check System shuld display the input fields | SKIPPED | 0.000 s |
| 66 | And select asset reference number of undertaking assset in write off | SKIPPED | 0.000 s |
| 67 | And choose the asset Item no | SKIPPED | 0.000 s |
| 68 | And choose the transcation type as writeOff | SKIPPED | 0.000 s |
| 69 | Then click on Save Button | SKIPPED | 0.000 s |
| 70 | Then click on notification button | SKIPPED | 0.000 s |
| 71 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 72 | And click on Submit button | SKIPPED | 0.000 s |
| 73 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 74 | Then click on submit button in alert | SKIPPED | 0.000 s |
| 75 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 76 | Then logout from maker | SKIPPED | 0.000 s |
| 77 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 78 | Then click on notification button | SKIPPED | 0.001 s |
| 79 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 80 | Then Approve the record from reviewer | SKIPPED | 0.001 s |
| 81 | And enter the remark in alert | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 82 | Then click on submit in alert | SKIPPED | 0.001 s |
| 83 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 84 | And logout from reviewer | SKIPPED | 0.000 s |
| 85 | Then login as a checker | SKIPPED | 0.003 s |
| 86 | And click on security management menu in checker | SKIPPED | 0.001 s |
| 87 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 88 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 89 | Then click on Notification button | SKIPPED | 0.000 s |
| 90 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.002 s |
| 91 | And click on approve button in checker stage | SKIPPED | 0.001 s |
| 92 | Then give alert remark | SKIPPED | 0.001 s |
| 93 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 94 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 95 | Then logout from checker | SKIPPED | 0.000 s |
| 96 | And login with Maker ID | SKIPPED | 0.000 s |
| 97 | And click on fixed asset main module | SKIPPED | 0.002 s |
| 98 | And click on view button near by asset impairement module | SKIPPED | 0.000 s |
| 99 | Then check the approved record is displayed in appeared in maker list view stage | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the Write Off for an undertaken
asset from other branch (usage life
exhausted)

(F) Test the transfer



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the Write Off for an undertaken
asset from other branch (usage life
exhausted)

(F) Test the transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Check the Write Off for an undertaken asset from other branch (usage life exhausted) | |
| (F) Test the transfer | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Check the Write Off for an undertaken asset from other branch (usage life exhausted) | |
| (F) Test the transfer | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) Test the transfer