# Cucumber Report

| *Start : Apr 11, 5:55:22.158 PM* | *End : Apr 11, 5:56:03.945 PM* | *Duration : 41.787 s* |
| --- | --- | --- |
| Features | Scenarios | Steps |
| *PASSED - 0*<br>*FAILED - 1*<br>*SKIPPED - 0* | *PASSED - 0*<br>*FAILED - 1*<br>*SKIPPED - 0* | *PASSED - 7*<br>*FAILED - 1*<br>*SKIPPED - 32* |

1

1

40

0 %

0 %

17 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checking accountsPayable and accounts Receivable module | 1 | 0 | 1 | 0 | 41.787 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Checking accountsPayable and accounts Receivable module | Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement | 40 | 7 | 1 | 32 | 41.779 s |

## (F)- Checking accountsPayable and accounts Receivable module

| FAILED | DURATION - 41.787 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 40 | |
| / 5:55:22.158 PM // 5:56:03.945 PM / | | Pass - 0 | 1 | Pass - 7 | 40 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 32 | |

## (S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

| FAILED | DURATION - 41.779 s | | Steps | |
|---|---|---|---|---|
| / 5:55:22.166 PM // 5:56:03.945 PM / | | | Total - 40 | 40 |
| Checking accountsPayable and accounts Receivable module | | | Pass - 7 | |
| | | | Fail - 1 | |
| @KUBS_AR_AP_UAT_003_008_TC_03 | | | Skip - 32 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to KUBS URL and login with maker credentials | PASSED | 18.745 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.209 s |
| | screenshot | | |
| | | | |
| 2 | And Goto accounts receivable advances module | PASSED | 1.614 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.321 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then click on search | PASSED | 0.217 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |
| |  | | |
| 4 | And select the advance to employee active record | PASSED | 0.590 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |
| |  | | |
| 5 | And go to aacounts payable module | PASSED | 0.264 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | screenshot | | |
| |  | | |
| 6 | And Go to payment settlement module | PASSED | 1.430 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And click on Add Icon | PASSED | 0.342 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.306 s |
| | screenshot<br> | | |
| 8 | And fill the form for settlement | FAILED | 6.820 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@aria-label='April 7, 2023']/span"}   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5631c55148cafed4812b64840650a10c, findElement {using=xpath, value=//td[@aria-label='April 7, 2023']/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50427}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50427/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5631c55148cafed4812b64840650a10c<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement.java:332)<br>at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.177 s |
| 9 | And Save the form | SKIPPED | 0.000 s |
| 10 | And click notification button | SKIPPED | 0.000 s |
| 11 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 12 | And click on Submit button | SKIPPED | 0.000 s |
| 13 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 14 | Then click on submit button in alert | SKIPPED | 0.001 s |
| 15 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 16 | Then logout from maker | SKIPPED | 0.001 s |
| 17 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 18 | Then click on notification button | SKIPPED | 0.000 s |
| 19 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 20 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 21 | And enter the remark in alert | SKIPPED | 0.000 s |
| 22 | Then click on submit in alert | SKIPPED | 0.000 s |
| 23 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 24 | And logout from reviewer | SKIPPED | 0.000 s |
| 25 | Then login as a checker | SKIPPED | 0.001 s |
| 26 | And click on security management menu in checker | SKIPPED | 0.000 s |
| 27 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 28 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 29 | Then click on Notification button | SKIPPED | 0.000 s |
| 30 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.000 s |

| #  | Step / Hook Details | Status | Duration |
|----|---------------------|--------|----------|
| 31 | And click on approve button in checker stage | SKIPPED | 0.000 s |
| 32 | Then give alert remark | SKIPPED | 0.000 s |
| 33 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 34 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 35 | Then logout from checker | SKIPPED | 0.000 s |
| 36 | And login with Maker ID | SKIPPED | 0.000 s |
| 37 | And goto arap adjustment main module | SKIPPED | 0.001 s |
| 38 | Then go to ar ap adjustment module | SKIPPED | 0.000 s |
| 39 | And click on Add Icon | SKIPPED | 0.000 s |
| 40 | Then check the settlement completed advance can be cancelled | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module



| Actions | Branch Code - Name | Receivable Name | ADV Number | BP Name | Amount | Date | ADV Status |
|---|---|---|---|---|---|---|---|
| | Search Branch Co | Search Receivable | Search ADV Numt | Search BP Name | Search Amount | Search Date | Search ADV |
| | AZENTMAIN - Azentio N | Advance Against PO | ADV_105_842022 | Bonton Agency | 10000 | 05-Jan-2023 | Cancelled |
| | AZENTMAIN - Azentio N | Advance Against PO | ADV_104_842022 | Bonton Agency | 1000 | 05-Jan-2023 | Cancelled |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_103_842022 | TRM agency | 4000 | 05-Jan-2023 | Closed |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_102_842022 | Mehta | 2100 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_101_842022 | Gangeeta | 3000 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_100_842022 | AAA Salem | 2500 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_99_842022 | AAA Salem | 100000 | 05-Jan-2023 | Cancelled |

7 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module



| Actions | Branch Code - Name | Receivable Name | ADV Number | BP Name | Amount | Date | ADV Status |
|---|---|---|---|---|---|---|---|
| | Search Branch Co | ance To Employee | Search ADV Numt | Search BP Name | Search Amount | Search Date | Search ADV |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_103_842022 | TRM agency | 4000 | 05-Jan-2023 | Closed |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_102_842022 | Mehta | 2100 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_101_842022 | Gangeeta | 3000 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_100_842022 | AAA Salem | 2500 | 05-Jan-2023 | Active |
| | AZENTMAIN - Azentio N | Advance To Employee | ADV_99_842022 | AAA Salem | 100000 | 05-Jan-2023 | Cancelled |

5 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify cancelling Advance To
employee is not allowed if the same has
been adjusted at payment settlement

(F) Checking accountsPayable and
accounts Receivable module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify cancelling Advance To
employee is not allowed if the same has
been adjusted at payment settlement

(F) Checking accountsPayable and
accounts Receivable module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

(F) Checking accountsPayable and accounts Receivable module