


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	1	0	0	1 m 5.043 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Bouncing of deposited cheques	17	17	0	0	1 m 5.040 s
	Updating deposited cheques *						

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- Checking the Acount Receivable Updating deposited cheques functionality

PASSED	DURATION - 1 m 5.043 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 6:50:42.351 PM	1 // 6:51:47.394 PM /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** Bouncing of deposited cheques

PASSED DURATION - 1 m 5.040 s	10 Table 10 Steps	
/ 6:50:42.354 PM // 6:51:47.394 PM /	8 - Total - 17	
Checking the Acount Receivable Updating deposited cheques functionality	Pass - 17	17
@MultiAuth @KUBS_AR/AP_UAT_010_003_TC_01	0 - Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	The distance of the contract o		
2	Then Click on Direction icon	PASSED	2.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


#	Step / Hook Details	Status	Duration
Description of the second of t	10 01 190° 000 000 0		
3 Then Click	on Account Recivable button	PASSED	0.204 s
AFTER_ST	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
screenshot			
	**2020 (Apr. ** 00000000)		
4 Then Click	on Update cheque status Note icon	PASSED	0.328 s
AFTER_ST	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
Screenshot			
5 Then Selec	t the Record	PASSED	0.131 s
Screenshot	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
6 Then Selec	t Cheque Status Bounced	PASSED	0.847 s
	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
		╗	1

7 Then Add Bank Charges PASSED 0.187 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s  8 Then Select the bounced reason PASSED 0.227 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.327 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.36 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.348 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.131 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### PASSED		Note   0   0   0   0   0   0   0   0   0		
Screenshot   Select the bounced reason   PASSED   0.327 s	7	Then Add Bank Charges	PASSED	0.187 s
Then Select the bounced reason  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.327 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.136 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.148 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  To Passed 0.126 s  PASSED 0.126 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.131 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
8 Then Select the bounced reason PASSED 0.327 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  5 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Update Deposited Cheque Notification  4 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFSED  0.136 s  0.136 s		Manual   M		
screenshot  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s  PASSED  0.131 s	8	Then Select the bounced reason	PASSED	0.327 s
9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s  PASSED  0.131 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s  0.104 s		Note   0   0   0   0   0   0   0   0   0		
Screenshot  10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s  0.131 s	9	Then Click on save button to save the Record for Account Recivable	PASSED	3.148 s
10 Then Click on Update Deposited Cheque Notification PASSED 0.126 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.131 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
10 Then Click on Update Deposited Cheque Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s  0.131 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s	10	Then Click on Update Deposited Cheque Notification	PASSED	0.126 s
screenshot		·	PASSED	0.131 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	Note that the second of the se		
11	And Select and Submit the Update Deposited Cheque record	PASSED	9.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
	10   10   10   10   10   10   10   10		
12	Then log in to the reviewer account	PASSED	5.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
13	Then click on the Notification select the Cheque record and Approve	PASSED	5.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
	State Date of the control of the con		
14	Then log in to the Checker Account	PASSED	4.819 s
		1	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s

#	Step / Hook Details	Status	Duration
	The Contraction of the Contracti		
15	And then checker claim the record	PASSED	2.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
	Waste   Special   Waste   Waste   Special   Wa		
	No. 8 No. 8		
16	Then click on the checker Notification	PASSED	1.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
	The state of the s		
17	And select the Cheque record and Approve by checker	PASSED	11.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
	The state of the s		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

