



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	1	0	0	1 m 28.391 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	16	16	0	0	1 m 28.385 s

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

PASSED	DURATION - 1 m 28.391 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 6:41:32.417 AN	Л // 6:43:00.808 AM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Asset Creation



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	24.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.442 s
	screenshot		
	## Description of the control of the		
2	And user should navigate to fixed asset menu	PASSED	0.816 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		


3 When click on eye button of asset creation  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  4 And click on add button to create asset record  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  5 And Fill the required fields to create asset  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screens	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And click on add button to create asset record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields to create asset  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.257 s		The control of the		
screenshot  And click on add button to create asset record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.386 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s	3	When click on eye button of asset creation	PASSED	0.297 s
And click on add button to create asset record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  11.386 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.807 s
And click on add button to create asset record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.386 s  PASSED  0.257 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Fill the required fields to create asset  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.898 s  0.216 s  1.898 s  1.898 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.386 s  PASSED  0.257 s		0		
screenshot  5 And Fill the required fields to create asset  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.898 s  0.216 s  1.898 s  PASSED  1.386 s  PASSED  1.386 s	4	And click on add button to create asset record	PASSED	0.460 s
And Fill the required fields to create asset  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.898 s  0.216 s  1.898 s  PASSED  0.216 s  1.386 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
5 And Fill the required fields to create asset  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.898 s  0.216 s  PASSED  1.386 s  PASSED  0.257 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.386 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.216 s		Sample   S		
Screenshot  6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s	5	And Fill the required fields to create asset	PASSED	1.898 s
6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
6 Then Save and submit the asset creation record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.257 s		9		
	6	Then Save and submit the asset creation record	PASSED	11.386 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
		screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  PASSED  0.388 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  9 And Approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		*** O STATE OF THE		
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.241 s  PASSED  0.474 s  4.281 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s	7	And User should go to the kubs url and login as a reviewer user	PASSED	9.520 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  7.717 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.241 s  PASSED  0.474 s  PASSED  4.281 s  PASSED  0.276 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  PASSED  0.388 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  PASSED  0.388 s		The state of the s		
screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.388 s	8	Then Click on notification button in reviewer	PASSED	0.241 s
9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.388 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.388 s		screenshot		
And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.717 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.388 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 7.717 s  PASSED 7.717 s  PASSED 0.288 s			DACCED	4 201 0
Screenshot  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.388 s	9			
10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 7.717 s  O.388 s			- FASSED	0.2705
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.388 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.388 s	10	Given User should go to the kubs url and login as a checker user	PASSED	7.717 s
screenshot			PASSED	0.388 s
		screenshot		


#	Step / Hook Details	Status	Duration
	# © test Section Section   Prince Section   Se		
	© Instrument		
	Note 2 mars 2		
11	And Click on security management in checker	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	© Castronomical State (and the castronomy control of the castronomy co		
	© Inverse 0 0		
	200 A 100 A		
12	Then Click on open pool in checker	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
	# O And Tourishing an		
	© Invested 10 to 1		
13	And Click on claim button in checker	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
	# Order Constitution   District Constitution   Distric		
	© Investment  T transmile 0 000 1000 1000 1000000 1000000 1000000		
	30x \$ 30x \$		
14	And capture claimed status	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The state of the s		
15	Then click on notification in checker	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
	* Prince By The Control of the Contr		
16	Then checker should approved the asset creation record	PASSED	5.523 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	Primary State (AS) Sta		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

