

FEATURES SUMMARY -- 2 --



| # | Feature Name                              | T | P | F | S | Duration      |
|---|---|---|---|---|---|---------------|
| 1 | Check the Functionality of BudgetTransfer | 1 | 0 | 1 | 0 | 19 m 57.997 s |

SCENARIOS SUMMARY



| # | Feature Name               | Scenario Name   | T | P | F | S | Duration      |
|---|----------------------------|---|---|---|---|---|---------------|
| 1 | Check the Functionality of | If all the mandatory data is captured and user clicks on save | 8 | 7 | 1 | 0 | 19 m 57.994 s |
|   | BudgetTransfer             | button  |   |   |   |   |               |

DETAILED SECTION -- 4 --

## **(F)-** Check the Functionality of BudgetTransfer

| FAILED         | DURATION - 19 m 57.997 s | Scenarios |   | Steps     |   |
|----------------|--------------------------|-----------|---|-----------|---|
|                |                          | Total - 1 |   | Total - 8 |   |
| / 10:32:57.156 | PM // 10:52:55.153 PM /  | Pass - 0  | 1 | Pass - 7  | 8 |
|                |                          | Fail - 1  |   | Fail - 1  |   |
|                |                          | Skip - 0  |   | Skip - 0  |   |

## (S)- If all the mandatory data is captured and user clicks on save button

| FAILED DURATION - 19 m 57.994 s           | 1,000 |   |   |   |   |   |                              |   |   | Steps                 |   |
|---|-------|---|---|---|---|---|------------------------------|---|---|-----------------------|---|
| / 10:32:57.159 PM // 10:52:55.153 PM /    | 800 - |   |   |   |   |   | <del> </del><br><del> </del> |   |   | Total - 8<br>Pass - 7 |   |
| Check the Functionality of BudgetTransfer | 400 - |   |   |   |   |   |                              |   |   | Fail - 1              | 8 |
| @BudgetTransfer_BP_BT_01_02               | 0 -   | 1 | 2 | 3 | 4 | 5 | 6                            | 7 | R | Skip - 0              |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Maker login  | PASSED | 13.085 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.195 s  |
|   | screenshot   |        |          |
|   | Prince Space Contraction Contract Dispersion C |        |          |
| 2 | And Maker click on the direction tab   | PASSED | 0.668 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.258 s  |
|   | screenshot   |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Find the state of  |        |          |
| 3 | Then Maker click on the budget   | PASSED | 0.307 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.143 s  |
|   | screenshot   | ]      |          |
|   | The Continue of the Continue o |        |          |
| 4 | Then Maker click on budget transfer eye button   | PASSED | 0.533 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   | PASSED | 0.254 s  |
| 5 | And Maker click on add button  | PASSED | 0.467 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The particular of the pa | PASSED | 0.226 s  |
| 6 | Then Maker fill the details and save   | PASSED | 19.367 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.279 s  |
|   | screenshot   |        |          |

| # | Step / Hook Details  | Status | Duration      |
|---|--|--------|---------------|
|   | State   Stat |        |               |
| 7 | Then Maker click on the notification icon  | PASSED | 0.362 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.136 s       |
|   | screenshot   |        |               |
|   | State   Stat |        |               |
| 8 | Then Maker submit the budget transfer record   | FAILED | 19 m 15.367 s |
|   | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' briver info: org.openqa.selenium.chrome.ChromeDriver Command: [f395121f7dba9bb403383fb31e47533c, findElement {using=xpath, value=//span[contains(text(), 'Submit')]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDatabir: c.Uvsers\(\mathbb{IN}\)\(\mathbb{IN}\)\(\mathbb{DE}\)\(\mathbb{IN}\)\(\mathbb{DE}\  |        |               |

| <i>‡</i> | Step / Hook Details   | Status | Duration |
|----------|---|--------|----------|
|          | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   |        |          |
|          | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   |        |          |
|          | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)  |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)   |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)   |        |          |
|          | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   |        |          |
|          | at helper.WaitHelper.waitForElement(WaitHelper.java:79)   |        |          |
|          | at stepdefinitions.BUDGET_BudgetTransfer.maker_submit_the_budget_transfer_record(BUDGET_BudgetTransfer.java:209)  |        |          |
|          | at ?.Maker submit the budget transfer record(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/  |        |          |
|          | features/BUDGET_BudgetTransfer.feature:67)  |        |          |
|          | * Not displayable characters are replaced by '?'.   |        |          |
| $\neg$   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | FAILED | 4.013 s  |
|          | revision: 'bc5511.cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [i395121f7dba9bb403383fb31e47533c, screenshot {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58857}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58857/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: f395121f7dba9bb403383fb31e47533c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDrive |        |          |
| _        | at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |        |          |
|          | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)  | FAILED | 0.244 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1',         |        |          |
|   | revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', |        |          |
|   | java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f395121f7dba9bb403383fb31e47533c, close {}]           |        |          |
|   | Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45     |        |          |
|   | (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58857},                          |        |          |
|   | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:        |        |          |
|   | Proxy(), se:cdp: ws://localhost:58857/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: |        |          |
|   | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,             |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f395121f7dba9bb403383fb31e47533c                      |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)                          |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)                  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)                                 |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)                                   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)   |        |          |
|   | at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)  |        |          |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

