Cucumber Report

| Start : Feb 12, 2:37:53.530 PM	End : Feb 12, 2:39:26.185 PM	Duration : 1 m 32.655 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	1 m 32.655 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create GRN for the generated PO No.s	22	18	1	3	1 m 32.645 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 1 m 32.655 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 2:37:53.530 PM // 2:39:26.185 PM /		Pass - 0	1	Pass - 18	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Create GRN for the generated PO No.s

| FAILED	DURATION - 1 m 32.645 s		Steps	
			Total - 22	
/ 2:37:53.540 PM // 2:39:26.185 PM /			Pass - 18	22
Check the Functionality of Fixed Asset			Fail - 1	
@KUBS_FAT_UAT_001_004			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
2	Then Click on the Finance	PASSED	0.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
6	Then Click on Add button	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill the form for GRN	PASSED	1.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
8	Then Click on save button to save the record	PASSED	4.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
9	Then Click on notification & open record which we created for GRN	PASSED	4.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
10	Then Click on Item Details Tab	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	5.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
12	Then Add qty received qty approved	PASSED	1.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
13	Then Click on GRN item save button	PASSED	20.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
14	Then Click on the Notification	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then Select the record which we saved	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
16	Then Submit record	PASSED	10.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
17	Then Open the Reviewer account	PASSED	12.950 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
18	Then Click on the Notification	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
19	Then Approve the record which we submitted from maker	FAILED	8.931 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-ubx-c284="" color="success" ng-reflect-color="success" ng-reflect-disabled="false" class="ion-color ion-color-success md button button-clear in-toolbar ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1178, 28). Other element would receive the click: ... (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5332eac8a22409589710107697e98151, clickElement {id=583d8e0c-d78b-4385-b6dd-2b1d1738eb7e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52544}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52544/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5332eac8a22409589710107697e98151)] -> xpath: //span/ion-button[1]] Session ID: 5332eac8a22409589710107697e98151
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.FixedAsset.approve_the_record_which_we_submitted_from_maker(FixedAsset.java:270)
	    at ?.Approve the record which we submitted from maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/FixedAsset.feature:51)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot		
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.000 s
22	Then Click on the notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)				04-Oct-2022 English ⌄ Azentio Software ⌄ (BR0004) 🔔 ▶ 👤 VISHWA

Configuration

🔧 ⬌ 📋

〉 Entity maintenance
〉 Security management
〉 User management
〉 Job scheduler
〉 Reference data
〉 Tax configuration

← Inbox ⤺ 🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	328	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	327	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	321	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	311	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	790	ASSET_CREATION	REVIEWER	REVIEWER	in00027

52 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

22 Appro... ✖   11 Messa... ✖

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)				04-Oct-2022 English ⌄ Azentio Software ⌄ (BR0004) 🔔 ▶ 👤 VISHWA

Configuration

🔧 ⬌ 📋

〉 Entity maintenance
〉 Security management
〉 User management
〉 Job scheduler
〉 Reference data
〉 Tax configuration

← Inbox ⤺ 🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	328	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	327	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	321	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	311	GRN_EVENT	REVIEWER	REVIEWER	in00027
✏	790	ASSET_CREATION	REVIEWER	REVIEWER	in00027

52 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

22 Appro... ✖   11 Messa... ✖

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset