Cucumber Report

| *Start : Apr 12, 8:31:27.725 PM*	*End : Apr 12, 8:31:49.518 PM*	*Duration : 21.793 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 7

#	Feature Name	T	P	F	S	Duration
1	Checking the General LedgerTransaction JournalVoucher functionality	1	0	1	0	21.793 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the General LedgerTransaction JournalVoucher *	Create a Journal Voucher to adjust the amount from one GL to another GL	14	6	1	7	21.790 s

(F)- Checking the General LedgerTransaction JournalVoucher functionality

FAILED	DURATION - 21.793 s	Scenarios		Steps	
/ 8:31:27.725 PM // 8:31:49.518 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 14 Pass - 6 Fail - 1 Skip - 7	14

(S)- Create a Journal Voucher to adjust the amount from one GL to another GL

FAILED	DURATION - 21.790 s		Steps	
/ 8:31:27.728 PM // 8:31:49.518 PM /			Total - 14	
Checking the General LedgerTransaction JournalVoucher functionality			Pass - 6 Fail - 1 Skip - 7	14
@KUBS_GL2_UAT_003_001 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	10.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on General Ledger Transaction Field	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
4	Then Click on Journal Voucher EyeIcon	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
5	Then Click on Journal Voucher AddButton	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
6	Then Fill the Mandatory fields of Journal Voucher	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Add Debit credit record	FAILED	1.774 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-radio class="sc-ion-select-popover md in-item interactive hydrated" role="radio" aria-checked="false" aria-labelledby="ion-rb-11-lbl"></ion-radio> is not clickable at point (720, 727). Other element would receive the click: <ion-radio class="sc-ion-select-popover md in-item interactive hydrated" role="radio" aria-checked="false" aria-labelledby="ion-rb-10-lbl"></ion-radio> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9a5755adfbfe8761f903084e8a5a9c7d, clickElement {id=2220b291-6024-40bb-bb90-535e91f38fff}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57397}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57397/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (9a5755adfbfe8761f903084e8a5a9c7d)] -> xpath: //ion-list[1]/ion-radio-group[1]/ion-item[7]/ion-radio[1]] Session ID: 9a5755adfbfe8761f903084e8a5a9c7d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GL2_JournalVoucher.add_debit_credit_record(GL2_JournalVoucher.java:92) at ?.Add Debit credit record(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMasterNewfinal/AzentioAutomationFramework/src/		

#	Step / Hook Details	Status	Duration
	test/java/features/GL2_JournalVoucher.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.096 s
8	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.001 s
9	Then log in to the reviewer account	SKIPPED	0.000 s
10	Then click on the Notification select the Cheque record and Approve	SKIPPED	0.000 s
11	Then log in to the Checker Account	SKIPPED	0.000 s
12	And then checker claim the record	SKIPPED	0.000 s
13	Then click on the checker Notification	SKIPPED	0.000 s
14	And select the Cheque record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Journal Voucher to adjust the amount from one GL to another GL

(F) Checking the General LedgerTransaction JournalVoucher functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Journal Voucher to adjust the amount from one GL to another GL

(F) Checking the General LedgerTransaction JournalVoucher functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Journal Voucher to adjust
the amount from one GL to another GL

(F) Checking the General
LedgerTransaction JournalVoucher
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Journal Voucher to adjust
the amount from one GL to another GL

(F) Checking the General
LedgerTransaction JournalVoucher
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Journal Voucher to adjust
the amount from one GL to another GL

(F) Checking the General
LedgerTransaction JournalVoucher
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Journal Voucher to adjust
the amount from one GL to another GL

(F) Checking the General
LedgerTransaction JournalVoucher
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Journal Voucher to adjust the amount from one GL to another GL

(F) Checking the General LedgerTransaction JournalVoucher functionality