Cucumber Report

| Start : Jan 25, 10:08:03.656 AM	End : Jan 25, 10:09:10.113 AM	Duration : 1 m 6.457 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 6.457 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Check Asset return Report	10	7	1	2	1 m 6.449 s

(F)- To verify the reports for fixed asset

FAILED	DURATION - 1 m 6.457 s		Scenarios		Steps	
			Total - 1		Total - 10	
/ 10:08:03.656 AM // 10:09:10.113 AM /			Pass - 0	1	Pass - 7	10
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 2	

(S)- Check Asset return Report

FAILED	DURATION - 1 m 6.449 s		Steps	
/ 10:08:03.664 AM // 10:09:10.113 AM /			Total - 10	
To verify the reports for fixed asset			Pass - 7	10
@KUBS_FAT_UAT_013_016_Return			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	34.665 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.982 s
	screenshot +		
2	Then Click on Report button	PASSED	0.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot +		

| #	Step / Hook Details	Status	Duration
3	Then Click on Transaction Reports tab	PASSED	1.971 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
4	Then Click on return Report edit button	PASSED	0.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.515 s
	screenshot		
5	Then choose the data set for asset return report	PASSED	0.040 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
6	Then Fill details for return report	PASSED	9.534 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
7	And Get the system data	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then Select return date in calendar	FAILED	1.825 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[@type='button'])[1]"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.226', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [87c497908275abc302f88632a04ef868, findElement {using=xpath, value=(//button[@type='button'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60815}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60815/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 87c497908275abc302f88632a04ef868
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.FixedAsset_Reports.select_return_date_in_calendar(FixedAsset_Reports.java:319)
	  at ?.Select return date in calendar(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/ AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:37)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
9	Then Click on the View button	SKIPPED	0.000 s
10	Then close the report	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset return Report	
(F) To verify the reports for fixed asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset return Report	
(F) To verify the reports for fixed asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset return Report	
(F) To verify the reports for fixed asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset return Report	
(F) To verify the reports for fixed asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset