Cucumber Report

| Start : Mar 31, 10:48:36.004 am	End : Mar 31, 10:49:17.461 am	Duration : 41.457 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 16

1

1

28

Pass % 0 %

Pass % 0 %

Pass % 39 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of Petty cash*	1	0	1	0	41.457 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	Create a fund request for Petty Cash	28	11	1	16	41.450 s

(F)- Check the Functionality of Petty cash

FAILED	DURATION - 41.457 s		Scenarios		Steps	
	/ 10:48:36.004 am // 10:49:17.461 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 28 Pass - 11 Fail - 1 Skip - 16	28

(S)- Create a fund request for Petty Cash

FAILED	DURATION - 41.450 s			Steps	
	/ 10:48:36.011 am // 10:49:17.461 am /			Total - 28	28
	Check the Functionality of Petty cash			Pass - 11	
	@KUBS_PC_UAT_002_001			Fail - 1 Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.572 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.599 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Petty cash module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
4	Then Click on Fund Request Eye Icon	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
5	Then Click on Add Icon in Petty cash	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
6	And Enter Request Amount value	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter Petty cash Remark	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
8	Then save Record in Petty cash	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
9	Then Goto The Notification Icon	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
10	And Store the Referance Id and Open the Record	PASSED	0.802 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click submit button and Enter Remark submit it	PASSED	3.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
12	Given Navigate as a Reviewer	FAILED	4.461 s

	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44573696c076f85dc3753c52c3008acd, get {url=http://10.1.56.122:8680/kubs/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61250}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61250/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 44573696c076f85dc3753c52c3008acd
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326)
	    at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_as_a_reviewer(ARAP_AccountsReceivable_AccountsPayable.java:1867)
		FAILED	4.461 s

#	Step / Hook Details	Status	Duration
	at ?.Navigate as a Reviewer(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/Petty_Cash.feature:109) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.314 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44573696c076f85dc3753c52c3008acd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61250}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61250/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 44573696c076f85dc3753c52c3008acd
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)
	  at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		

13	Then click on Notify icon	SKIPPED	0.000 s
14	And Click First record Action icon	SKIPPED	0.001 s
15	Then Approve the record in Reviewer	SKIPPED	0.000 s
16	And Give Remark and Submit	SKIPPED	0.000 s
17	Given Navigate as a Checker	SKIPPED	0.000 s
18	Then Click module security management	SKIPPED	0.000 s
19	And Claim the Record in Checker	SKIPPED	0.000 s
20	Then Goto the Checker notification Icon	SKIPPED	0.000 s
21	And Click the First Action Icon	SKIPPED	0.000 s
22	Then Approve the Record in checker stage	SKIPPED	0.000 s
23	And Give the Remark and Submit it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
24	Given Navigate The Azentio Url	SKIPPED	0.000 s
25	Then Choose the second Tab Segment	SKIPPED	0.000 s
26	And Click on Petty cash module	SKIPPED	0.000 s
27	Then Click on Fund Request Eye Icon	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.244 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44573696c076f85dc3753c52c3008acd, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61250}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61250/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 44573696c076f85dc3753c52c3008acd
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

| | Kastle Universal Banking (Beta) | | 09-Nov-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash

Fund request
Advance request
Reimbursement

22 Appro...   11 Messa...

Petty Cash Fund Request
Inbox

Actions

Custodian
ANANT

* Cash Custodian Limit
75,000.00 INR

* Cash In Hand
70,261.00 INR

No data to display

Replenishment Limit
50,000.00 INR

* Request Amount

INR

0 total

Remarks
Okay

Request Amount should not be greater than Custodian max limit ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash

| | Kastle Universal Banking (Beta) | | 09-Nov-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash

Fund request
Advance request
Reimbursement

22 Appro...   11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	527	CONTRACTCREATION_EVT	MAKER	MAKER	1002435
✏	128	ACCOUNTING_SCHEME_HD	MAKER	MAKER	1002435
✏	129	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435
✏	128	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435
✏	127	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435

1,612 total |◁ ◁ 1 2 3 4 5 ▷ ▷|

Request Amount should not be greater than Custodian max limit ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty cash