

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	28.975 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	System should allow to modify the supplimentary request	9	9	0	0	28.971 s
	UAT functionality	budget before approval					

DETAILED SECTION

(F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 28.975 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 1:19:08.629 AN	Л // 1:19:37.604 AM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should allow to modify the supplimentary request budget before approval

						•		•						
PASSED DURATION - 28.971 s		10 7										Steps		
/ 1:19:08.633 AM // 1:19:37.604 AM /		8 -	 	-	+-		!-			 		Total - 9		
Checking the Supplementary Budget UAT		6 -								 		Pass - 9	1 0	
functionality		2 -	 	-			🛓			 	<u> </u>	Fail - 0		
@SupplementaryBudget_KUBS_BP_UAT_005_	00-	0]	 <u> </u>							 		Skip - 0		
3			1	2	3	4	5	6	7	В	9		1	


#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	9.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	2.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	Fig. 12 Later State Stat		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.168 s
	1		
5	And click on add button on budget supplementary view page UAT	PASSED	2.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.170 s
	Pure types on the state of the		
6	Then fill the input fields UAT	PASSED	1.532 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		


#	Step / Hook Details	Status	Duration

7	Then fill apportion amount and save the record UAT	PASSED	2.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.112 s
	© 100 months 10		
8	Then Select the Supplementary record from notification	PASSED	2.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
	## 200 (1900 - 1		
9	Then fill apportion amount and save the record UAT	PASSED	2.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
	State Stat		

EXPANDED SECTION -- 7







EXPANDED SECTION -- 10 --

