Cucumber Report

14 Jan 2023, 10:29:20 AM

Start : Jan 14, 10:27:49.908 AM	End : Jan 14, 10:29:18.284 AM	Duration : 1 m 28.376 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 28.376 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	System should able to approve the supplimentary requested budget	17	17	0	0	1 m 28.368 s

(F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 28.376 s	Scenarios		Steps	
/ 10:27:49.908 AM // 10:29:18.284 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 17 Pass - 17 Fail - 0 Skip - 0	

(S)- System should able to approve the supplimentary requested budget

PASSED	DURATION - 1 m 28.368 s		Steps	
/ 10:27:49.916 AM // 10:29:18.284 AM /			Total - 17 Pass - 17 Fail - 0 Skip - 0	
user create login in to Budget and planning UAT files				
@SupplementaryBudget_KUBS_BP_UAT_005_00-4				

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	51.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.877 s
	screenshot +		
2	And maker should navigate to the budget module UAT	PASSED	3.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot  +		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
4	When maker click on budget supplementary eye icon UAT	PASSED	0.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.806 s
	screenshot		
			
5	And click on add button on budget supplementary view page UAT	PASSED	1.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
6	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.015 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
			
7	Then fill the input fields UAT	PASSED	2.741 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill apportion amount and save the record UAT	PASSED	2.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
			
9	And click notification button	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.471 s
	screenshot		
			
10	Then click on the search button	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
11	And serach the budget supplimentory sub module name	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then choose first record in the notification record4	PASSED	1.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.959 s
	screenshot		
			
13	And click on Submit button	PASSED	0.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
			
14	Then enter remark in confirmation alertss	PASSED	1.992 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
			
15	Then click on submit button in alert	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		
			
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	PASSED	1.936 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.578 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files