

Cucumber Report

Feb 11, 2022, 5:42:36 PM

Start : Feb 11, 5:42:30.884 PM

End : Feb 11, 5:42:35.458 PM

Duration : 4.574 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 16







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Check the Functionality of Fixed Asset</u> | 1 | 0 | 1 | 0 | 4.574 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|-------------------------------|----|---|---|----|----------|
| 1 | <u>Check the Functionality of Fixed Asset</u> | <u>Create the asset limit</u> | 17 | 0 | 1 | 16 | 4.567 s |

(F)- Check the Functionality of Fixed Asset


| | | | | | |
|--------------------------------------|---------------------------|-----------|---|------------|---|
| FAILED | DURATION - 4.574 s | Scenarios |  | Steps |  |
| / 5:42:30.884 PM // 5:42:35.458 PM / | | Total - 1 | | Total - 17 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- Create the asset limit

| | | | | |
|--|---------------------------|--|------------|---|
| FAILED | DURATION - 4.567 s |  | Steps |  |
| / 5:42:30.891 PM // 5:42:35.458 PM / | | | Total - 17 | |
| Check the Functionality of Fixed Asset | | | Pass - 0 | |
| @KUBS_FAT_UAT_002_001 @multiauth | | | Fail - 1 | |
| | | Skip - 16 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given Navigate to kubs URL and user should login as a maker</p> <pre> java.lang.Error: Unresolved compilation problem: The constructor JsonConfig(WebDriver) is undefined at stepdefinitions.FixedAsset.<init>(FixedAsset.java:32) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) </pre> | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.105 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on the Finance | SKIPPED | 0.000 s |
| 3 | Then Click on the Direction | SKIPPED | 0.000 s |
| 4 | Then Click on Fixed Asset | SKIPPED | 0.000 s |
| 5 | Then Click on Asset Creation Eye Button | SKIPPED | 0.000 s |
| 6 | Then Click on the add button to add new record | SKIPPED | 0.000 s |
| 7 | Then Fill Form | SKIPPED | 0.000 s |
| 8 | Then Save the filled form | SKIPPED | 0.000 s |
| 9 | Then Click on the Notification | SKIPPED | 0.001 s |
| 10 | Then Select the record which we saved | SKIPPED | 0.000 s |
| 11 | Then Submit record | SKIPPED | 0.001 s |
| 12 | Then Open the Reviewer account | SKIPPED | 0.000 s |
| 13 | Then Click on the Notification | SKIPPED | 0.001 s |
| 14 | Then Approve the record which we submitted from maker | SKIPPED | 0.002 s |
| 15 | Then Go to Checker login | SKIPPED | 0.001 s |
| 16 | Then Clam record | SKIPPED | 0.000 s |
| 17 | Then Click on the notification and approve the record | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset