

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | Check the Functionality of AR/AP Module | 1 | 1 | 0 | 0 | 1 m 17.708 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|---|--------------|
| 1 | Check the Functionality of AR/AP | Verify accounting entries post payment settlement approval | 18 | 18 | 0 | 0 | 1 m 17.699 s |
| | Module | | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

| PASSED | DURATION - 1 m 17.708 s | Scenarios | | Steps | |
|-------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 18 | |
| / 11:56:21.574 ar | m // 11:57:39.282 am / | Pass - 1 | 1 | Pass - 18 | 18 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Verify accounting entries post payment settlement approval



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate The Azentio Url | PASSED | 11.657 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | screenshot | | |
| | State of the control | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.331 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----------|---|--------|----------|
| | ** ** ** *** *** *** *** *** *** *** * | | |
| 3 . | And Click On Main module Accounts payable | PASSED | 0.140 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | screenshot | | |
| | © 100 miles 100 | | |
| 4 | Then Click sub module Payment settlement Eye Icon | PASSED | 0.217 s |
| <u> </u> | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.391 s |
| | Screenshot *** ******************************** | | |
| 5 | And Click On Search Icon | PASSED | 0.125 s |
| I – | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.270 s |
| | The state of the | | |
| 6 | Then Enter Advance Against PO and Active Value In Advance Status | PASSED | 0.283 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.192 s |
| | screenshot | | |

| To And Enter Advance Against Po Pan Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) B. Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinition | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot screensho | | U = 1 | | |
| screenshot 8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | 7 | And Enter Advance Against Po Pan Number | PASSED | 0.221 s |
| Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.329 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.329 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass.addScree | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.369 s 0.369 s 0.329 s 0.158 s 0.158 s 0.158 s 0.158 s 0.143 s 0.143 s | | | | |
| screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s PASSED 0.189 s | 8 | Then Click on Table Row First Eye Icon | PASSED | 0.124 s |
| 9 Then Third Segment report Icon PASSED 0.329 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s PASSED 0.189 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.369 s |
| 9 Then Third Segment report Icon PASSED 0.329 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s PASSED 0.189 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s 0.158 s PASSED 0.143 s PASSED 0.143 s | | | | |
| Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s 0.189 s | 9 | Then Third Segment report Icon | PASSED | 0.329 s |
| 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s O.189 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s O.189 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s | | ## 1 | | |
| | 10 | And Choose Enquiry Module | PASSED | 0.143 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | | screenshot | | |


| # Step / Hook Details | Status | Duration |
|--|--------|----------|
| ## O | | |
| Then Click Note iCon near by financial transction | PASSED | 0.152 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| screenshot | | |
| Screenshot | | |
| 12 And choose branch code | PASSED | 0.312 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| screenshot | | |
| B O AND (AMERICAN) TO THE CONTROL OF THE CONTROL O | | |
| 200 1 200 1 ± ± ± | | |
| And click on transaction from date in calender | PASSED | 0.154 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.179 s |
| screenshot | | |
| ## O was former and the state of the state o | | |
| 14 Then Select from date in calender | PASSED | 0.420 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ■ | | |
| | | | |
| 15 | And click on transaction to date in calender icon | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | screenshot | | |
| | ■ State Sta | | |
| 16 | Then Select To date in calender | PASSED | 0.756 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot | 1 | |
| | The state of the | | |
| | 200 4 100 4 E | | |
| 17 | And Click View HyperLink | PASSED | 0.082 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot | | |
| | The state of the s | | |
| 18 | Then Verify Accounting entries post payment settlement approval | PASSED | 55.268 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.145 s |
| | screenshot | | |

DETAILED SECTION -- 9 --


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| | 10 10 10 10 10 10 10 10 | | |
| | | | |

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




-- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

