

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	1	0	0	1 m 22.764 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction	Create a fund request for Petty Cash	21	21	0	0	1 m 22.747 s
	in petty cash module						

DETAILED SECTION -- 4 --

## (F)- to verify user can able to do transaction in petty cash module

PASSED	DURATION - 1 m 22.764 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 10:44:05.171 an	n // 10:45:27.935 am /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Create a fund request for Petty Cash



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	17.859 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.631 s
	screenshot		
	We do not not not not not not not not not no		
2	Then Choose the second Tab Segment	PASSED	0.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		

3 And Click on Petty cash module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.jav	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Fund Request Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s		100   100		
screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Fund Request Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.164 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s	3	And Click on Petty cash module	PASSED	0.559 s
4 Then Click on Fund Request Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) creenshot  5 Then Click on Add Icon in Petty cash AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 And Enter Request Amount value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 And Enter Request Amount value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.164 s  PASSED 0.262 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
Then Click on Fund Request Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.664 s  PASSED  O.662 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.318 s  0.164 s  PASSED  0.262 s		■ © tentimentality    Manual		
screenshot  Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.164 s  PASSED  0.262 s	4	Then Click on Fund Request Eye Icon	PASSED	0.683 s
Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.317 s  0.318 s  0.318 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.842 s
5 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.317 s  0.318 s  0.318 s  0.318 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Request Amount value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.318 s  PASSED  0.164 s  PASSED  0.262 s		>10 mm (3 mm) (3 mm)		
Screenshot  6 And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s	5	Then Click on Add Icon in Petty cash	PASSED	0.317 s
6 And Enter Request Amount value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.164 s  0.262 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
6 And Enter Request Amount value  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED 0.164 s  0.262 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s		100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	6	And Enter Request Amount value	PASSED	0.164 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
		screenshot		


#	Step / Hook Details	Status	Duration
	** O TOTAL CONTRACTIONS AND A TOTAL CONTRACTIO		
7	Then Enter Petty cash Remark	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
	■		
8	Then save Record in Petty cash	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	Screenshot       Outdoor		
9	Then Goto The Notification Icon	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.369 s
10	And Store the Referance Id and Open the Record	PASSED	0.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot	<u> </u>	


#	Step / Hook Details	Status	Duration
	*** *** **** *************************		
11	Then Click submit button and Enter Remark then submit it	PASSED	3.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.719 s
	screenshot		
12	Given Navigate as a Reviewer	PASSED	13.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.200 s
13	Then click on Notify icon	PASSED	0.832 s
13	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.832 s
	screenshot	1.7.0020	0.100 3
	1		
14	And Click First record Action icon	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Approve the record in ReviewerStage	PASSED	0.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot	1	
	State Water Annual State of British Community		
16	And Give Remark and Submit	PASSED	1.613 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot	7	
	** O SECTION CONTROL OF THE PROPERTY OF THE PR		
	200 1 100 1		
17	Given Navigate The Azentio Url	PASSED	14.942 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot	_	
	1		
18	Then Choose the second Tab Segment	PASSED	0.602 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.566 s
	screenshot		


#	Step / Hook Details	Status	Duration
	No. 00   Square   Squ		
19	And Click on Petty cash module	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
20	Then Click on Fund Request Eye Icon	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
	■		
21	Then Click on Table Row First Eye Icon	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
	10   10   10   10   10   10   10   10		

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --





EXPANDED SECTION -- 13 --







EXPANDED SECTION -- 15 --








EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

