Cucumber Report

Start : Jan 13, 10:24:13.022 AM | **End : Jan 13, 10:28:10.716 AM** | **Duration : 3 m 57.694 s**

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 15
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

1 | 1 | 16

0 % | 0 % | 93 %

Pass % | Pass % | Pass %

#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	0	1	0	3 m 57.694 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	System should able to approve the supplimentary requested budget	16	15	1	0	3 m 57.666 s

(F)- user create login in to Budget and planning UAT files

FAILED	DURATION - 3 m 57.694 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 15 Fail - 1 Skip - 0	
/ 10:24:13.022 AM // 10:28:10.716 AM /					

(S)- System should able to approve the supplimentary requested budget

FAILED	DURATION - 3 m 57.666 s		Steps
/ 10:24:13.050 AM // 10:28:10.716 AM /			Total - 16
user create login in to Budget and planning UAT files			Pass - 15
@SupplementaryBudget_KUBS_BP_UAT_005_00-4			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	1 m 48.820 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.711 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	10.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.551 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.585 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.149 s
	screenshot		
4	When maker click on budget supplementary eye icon UAT	PASSED	3.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.018 s
	screenshot		
5	And click on add button on budget supplementary view page UAT	PASSED	4.903 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.690 s
	screenshot		
6	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		
7	Then fill the input fields UAT	PASSED	16.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.592 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then fill apportion amount and save the record UAT	PASSED	12.579 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.797 s
	screenshot		
9	And click notification button	PASSED	1.934 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.802 s
	screenshot		
10	Then click on the search button	PASSED	0.922 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.819 s
	screenshot		
11	And serach the budget supplimentory sub module name	PASSED	4.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.579 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	Then choose first record in the notification record4	PASSED	2.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.033 s
	screenshot		
13	And click on Submit button	PASSED	2.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.861 s
	screenshot		
14	Then enter remark in confirmation alertss	PASSED	5.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
15	Then click on submit button in alert	PASSED	0.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.773 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	FAILED	4.620 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='toast-container']//button"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1cb1e7999150c1b8ae148e6296ddb79, findElement {using=xpath, value=//div[@id='toast-container']//button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51321}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51321/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c1cb1e7999150c1b8ae148e6296ddb79
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.Budgetandplanningsupplementary.capture_the_reviewer_id_in_pop_up_which_is_open_when_we_submit_our_record_in_maker_stagesss(Budgetandplanningsupplementary.java:1146)
	  at ?.capture the reviewer ID in pop up which is open when we submit our record in maker stagesss(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Budgetandplanning.feature:144)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.831 s
	screenshot		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) System should able to approve the supplimentary requested budget | |
| (F) user create login in to Budget and planning UAT files | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the
supplimentary requested budget

(F) user create login in to Budget and
planning UAT files

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the
supplimentary requested budget

(F) user create login in to Budget and
planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files