


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR_AP Module | 1 | 1 | 0 | 0 | 1 m 19.334 s |

SCENARIOS SUMMARY -- 3 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|--------------|
| 1 | AR_AP Module | Checking of downloaded payment files for online payment | 8 | 8 | 0 | 0 | 1 m 19.328 s |
| | | where create file basis is Bank Wise | | | | | |

DETAILED SECTION

(F)- AR_AP Module

| PASSED | DURATION - 1 m 19.334 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 5:25:12.125 PN | M // 5:26:31.459 PM / | Pass - 1 | 1 | Pass - 8 | 8 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise

| PASSED DURATION - 1 m 19.328 s | 50 - | | | | + | | ! | Steps | |
|--------------------------------------|------|-----|---|---|----------|---|-----|----------------------|---|
| / 5:25:12.131 PM // 5:26:31.459 PM / | 30 | | | | | | | Total - 8 | |
| AR_AP Module | 20 | | | | | | | Pass - 8 | 8 |
| @blocker @AR/AP | 10 - | | | | <u> </u> | | - 📺 | Fall - U Skip - 0 | |
| @KUBS_AR_AP_UAT_008_002_TC_01 | 0 -1 | 1 2 | 3 | 4 | 5 6 | 7 | 8 | - Экір - О | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 50.628 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.882 s |
| | screenshot | | |
| | | | |
| 2 | And click on arap configuration main menu | PASSED | 0.715 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.285 s |
| | screenshot | | |
| | ANTO 100 100 100 100 100 100 100 100 100 10 | | |

| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AA do configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s | 3 | And click on payment file generation setup sub menu | PASSED | 0.502 s |
| 4 And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s 0.838 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.713 s |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.626 s PASSED 0.288 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.626 s PASSED 0.288 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | + | | |
| screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s | 4 | And user update the Excel sheet testdata for online payment | PASSED | 0.191 s |
| And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.626 s PASSED 0.288 s 4FTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s Then Click on Update Deposited Cheque Notification PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.786 s |
| Arter_step stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Passed 0.838 s Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Passed 1.497 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.288 s 0.288 s 0.288 s 0.290 s | | Authors State St | | |
| screenshot And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | 5 | And configure the file format as Bank Wise | PASSED | 1.626 s |
| And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s 0.290 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.288 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 1.497 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 1.497 s | | ALCOVE | | |
| Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | 6 | And save the arap configure record | PASSED | 1.902 s |
| 7 Then Click on Update Deposited Cheque Notification PASSED 0.838 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.290 s |
| 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.497 s | | | | |
| | 7 | Then Click on Update Deposited Cheque Notification | PASSED | 0.838 s |
| | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.497 s |
| screensnot | | screenshot | | |


DETAILED SECTION -- 6 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AMENUTOR TO THE PROPERTY OF TH | | |
| 8 | And Select and Submit the Update Deposited Cheque recordssss | PASSED | 11.449 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.352 s |
| | screenshot | | |
| | | | |

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

