Cucumber Report

| *Start : Feb 04, 8:31:48.534 AM*	*End : Feb 04, 8:33:20.397 AM*	*Duration : 1 m 31.863 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 12

#	Feature Name	T	P	F	S	Duration
1	*INVENTORY MAINTENANCE*	*1*	*0*	*1*	*0*	*1 m 31.863 s*

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	Create denomination details	18	5	1	12	1 m 31.858 s

(F)- INVENTORY MAINTENANCE

FAILED	DURATION - 1 m 31.863 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 8:31:48.534 AM // 8:33:20.397 AM /		Pass - 0	1	Pass - 5	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- Create denomination details

FAILED	DURATION - 1 m 31.858 s		Steps	
/ 8:31:48.539 AM // 8:33:20.397 AM /			Total - 18	
INVENTORY MAINTENANCE			Pass - 5	18
@KUBS_INV_MGMT_UAT_002_002			Fail - 1	
			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	PASSED	12.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	screenshot		
	+		
2	And user should navigate to denomination master menu	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of denomination master	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
4	And click on add button to create denomination details	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		
5	And Fill the required fields to create denomination details	PASSED	1.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
6	Then Save and submit the creation denomination details	FAILED	1 m 2.317 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e8359b3e39ca317b4107c50b3b74617, isElementDisplayed {id=ff2db1ae-80e7-490f-920c-ed6f2f61e21e}] Capabilities {acceptInsecureCerts:		

#	Step / Hook Details	Status	Duration

	false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52584}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52584/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7e8359b3e39ca317b4107c50b3b74617)] -> xpath: //span[contains(text(),'43')]] Session ID: 7e8359b3e39ca317b4107c50b3b74617
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	  at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	  at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster.save_and_submit_the_creation_denomination_details(INVENTORY_MAINTENANCE_DenominationMaster.java:121)
	  at ?.Save and submit the creation denomination details(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/INVENTORY_MAINTENANCE_DenominationMaster.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.250 s

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.001 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the contract record	SKIPPED	0.000 s
17	And system should show the prompt message	SKIPPED	0.000 s
18	And checker logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Actions	Currency	Transaction Date	Status	Created By	Created Date	Modified By	Modified Date
👁 ✏	INR	2022-10-02T18:41:48.(	Active	1002435	04-Feb-2022	1002435	04-Feb-2022
👁 ✏	INR	2021-09-02T14:13:32.(	Active	1002435	22-Oct-2021	1002435	22-Oct-2021
👁 ✏	USD	2021-09-02T08:17:17.(	Active	1002435	20-Oct-2021	1002435	20-Oct-2021

3 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

| | Kastle Universal Banking (Beta) | | 03-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) 🔔 | ANANT |

Finance

← Denomination Details Master

* Instrument Code	* Currency	* Denomination Type
AZENTIO-azentio ✕ ▾	INR ✕ ▾	Cash ✕ ▾

Denomination Sub Type	Denomination Sequence Number	Denomination Value	Denomination Description	Action
Note ▾	999	999	denomination	—
Note ▾				+

- Business partner setup
- General ledger configurat...
- Accounting setup
- Expense/AR & AP configu...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance

▶ Instrument code master
▶ **Denomination master**
▶ Inventory item master

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

| | Kastle Universal Banking (Beta) | | 03-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) 🔔 | ANANT |

Finance

← Inbox   🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	43	INVENTORY_ITEM	MAKER	MAKER	1002435
✏	297	AP_BILL_BOOKING	MAKER	MAKER	1002435
✏	296	AP_BILL_BOOKING	MAKER	MAKER	1002435
✏	302	STOCK_ISSUANCE	MAKER	MAKER	1002435
✏	171	CONTRACTCREATION_EVT	MAKER	MAKER	1002435

491 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

- Business partner setup
- General ledger configurat...
- Accounting setup
- Expense/AR & AP configu...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance

▶ Instrument code master
▶ **Denomination master**
▶ Inventory item master

22 Appro... ✕   11 Messa... ✕