

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 22.272 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify cancelling Credit Note is not allowed if the same has	17	8	1	8	1 m 22.264 s
		been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 22.272 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:18:29.081	PM // 12:19:51.353 PM /	Pass - 0	1	Pass - 8	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Verify cancelling Credit Note is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 1 m 22.264 s	40 -	-				+		- + -	-					-1-	- + -		Steps		
/ 12:18:29.089 PM // 12:19:51.353 PM /	30 -	-															Total - 17 Pass - 8		
AR/AP Module	10 -									1			- T -				Fail - 1	17	,
@KUBS_AR_AP_UAT_003_007_TC_05_01	0 -		1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 8		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	44.992 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.721 s
	screenshot		
	EXERTS So and the logical contribution of the logical con		
2	Then select data set ID for Verify cancelling Credit Note is not allowed if it has been adjusted	PASSED	0.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
	Date to large and		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot 4 And login with Maker ID AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on accounts Payable module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.798 s 2.069 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s	3	Then logout from maker	PASSED	1.179 s
4 And login with Maker ID AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on accounts Payable module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.945 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on accounts Payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.748 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on accounts Payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.748 s		Supplement		
Screenshot 5 And click on accounts Payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s	4	And login with Maker ID	PASSED	7.950 s
5 And click on accounts Payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.748 s
5 And click on accounts Payable module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.679 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s		Account source (a) to account source (b) to account to account (c) to account (
Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s	5	And click on accounts Payable module	PASSED	2.069 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s		DESTRUCTION DE DESTRU		
	6	And Go to payment settlement module	PASSED	1.679 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
		screenshot		
ASSENTED 20 20 20 5pt - constitute Statement		ACENTO Discrete light of the control of the contro		
7 And click on Add Icon PASSED 0.396 s	7	And click on Add Icon	PASSED	0.396 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.461 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	California Cal		
8	And fill the mendatory fields for settle the payment	PASSED	6.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot	1	
	CENTIO		
9	And fill the calender detail and description	FAILED	8.679 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath"; "selector":"/ltd[@arialabel='January 2, December' Span"} (Session info: chrome=111.0.5563.110) For documentation on this error, please visit: https://selenium.dev/exceptions/tmo_guch_element Build info: version: '4.0.0-rc-1', revision: 'bc5511chda' System info: host: 'DESKTOP-PSK9T3U,' ip: '10.200.4.229', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: 2b06fcf0faa70794c2d6bc648b956bdd, findElement {using=xpath, value=//td[@aria-label='January 2, December' Span} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Univolume{Valor} ChromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\Univolume{Valor} ChromedriverVersion: 111.0.5563.110, chrome: {chromedriverVersion: 111.0.5563.10, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extens		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.ARAP_CancellationOfCreditNote.fill_the_calender_detail_and_description(ARAP_CancellationOfCreditNote.java:1308) at ?.fill the calender detail and description(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_AccountsReceivable.feature:337) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
	ACENTO ACENTO ACENT		
10	And Save the form	SKIPPED	0.000 s
11	And click notification button	SKIPPED	0.000 s
12	Then choose first record in the notification record for cancellation of credit note	SKIPPED	0.001 s
13	And click on Submit button	SKIPPED	0.000 s
14	Then enter remark in confirmation alert for cancellation of credit note	SKIPPED	0.000 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID for cancellation of credit note	SKIPPED	0.001 s
17	Then logout from maker	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION --- 10 --



EXPANDED SECTION



EXPANDED SECTION -- 12 --

