


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|-------------|
| 1 | FIXED ASSETS | 1 | 1 | 0 | 0 | 2 m 2.048 s |



-- 3 --

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|----|----|---|---|-------------|
| 1 | FIXED ASSETS | Check if the given asset is transferred to a pre decided | 14 | 14 | 0 | 0 | 2 m 2.043 s |
| | | <u>centre</u> | | | | | |

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

| PASSED | DURATION - 2 m 2.048 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 12:50:20.770 Al | M // 12:52:22.818 AM / | Pass - 1 | 1 | Pass - 14 | 14 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check if the given asset is transferred to a pre decided centre

| PASSED DURATION - 2 m 2.043 s | | | | | | | | | | | | | | | | | Steps | | |
|--|----|---|---|---|---|---|----------|---|---|----------|---|----|----|----------|----------|----|-----------------------|----|--|
| / 12:50:20.775 AM // 12:52:22.818 AM / | 20 | ╫ | - | | | - | | | | - | | | | | | | Total - 14 | | |
| FIXED ASSETS | 10 | | - | | | | | | | | | | | | | | Pass - 14 Fail - 0 | 14 | |
| @KUBS_FAT_UAT_005_001 | 0 | | _ | | | | <u>.</u> | | | <u> </u> | | | | <u> </u> | <u> </u> | | Skip - 0 | | |
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 27.842 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.910 s |
| | screenshot | | |
| | ■ One of the control | | |
| 2 | And user should navigate to fixed assets menu | PASSED | 1.142 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.431 s |
| | screenshot | | |

| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTE | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on add button for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s PASSED 10.477 s PASSED 10.477 s | | Manuary Manu | | |
| screenshot And click on add button for asset transfer AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s | 3 | When click on eye button of asset transfer | PASSED | 0.868 s |
| And click on add button for asset transfer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.172 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.974 s |
| And click on add button for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AMFIBILITY - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s PASSED 10.172 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s PASSED 0.571 s | | O | | |
| screenshot And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s PASSED 0.172 s | 4 | And click on add button for asset transfer | PASSED | 0.642 s |
| And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s PASSED 0.172 s | | | PASSED | 0.571 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.477 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.390 s | | Company | | |
| Screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s | 5 | And Fill the required fields for asset transfer | PASSED | 8.761 s |
| 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.172 s | | · | PASSED | 0.390 s |
| 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s | | | | |
| | 6 | Then Save and submit the asset transfer | PASSED | 10.477 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | | screenshot | | |


| 7 And User should go to the kubs url and login as a reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 3.970 s 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | # | Step / Hook Details | Status | Duration |
|--|----|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.372 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.747 s 4.194 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | | Name | | |
| 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.194 s PASSED O.206 s | 7 | And User should go to the kubs url and login as a reviewer user | PASSED | 12.027 s |
| 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.194 s PASSED O.206 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 3.970 s |
| 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.194 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.747 s 4.194 s PASSED 0.206 s | | | | |
| 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | 8 | Then Click on notification button in reviewer | PASSED | 0.372 s |
| 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.747 s |
| 9 And approve the record by the final checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.194 s 0.206 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s | | | | |
| | 9 | And approve the record by the final checker user | PASSED | 4.194 s |
| Screenshot Output Output | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| The Continue of the Continue o | | screenshot | | |
| | | Contraction Contraction | | |
| 10 Given User should go to the kubs url and login as a maker user PASSED 10.914 s | 10 | Given User should go to the kubs url and login as a maker user | PASSED | 10.914 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.515 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.515 s |
| screenshot | | screenshot | | |

| 11 And user should navigate to fixed assets menu PASSED 0.486 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) PASSED 0.467 s 22 When click on eye button of asset transfer PASSED 0.410 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.355 s 33 Then click on first view icon to see the transferred PASSED 0.172 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.275 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.275 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.275 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.266 s | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.467 s | | | | |
| screenshot When click on eye button of asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on first view icon to see the transferred AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | 11 | And user should navigate to fixed assets menu | PASSED | 0.486 s |
| When click on eye button of asset transfer | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.467 s |
| When click on eye button of asset transfer | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then click on first view icon to see the transferred AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And maker should logout AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.355 s 0.255 s PASSED 0.275 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 0.266 s | | | | |
| screenshot 13 Then click on first view icon to see the transferred AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.925 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.275 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.275 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.266 s | 12 | When click on eye button of asset transfer | PASSED | 0.410 s |
| 13 Then click on first view icon to see the transferred PASSED 0.925 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And maker should logout AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s PASSED 0.275 s PASSED 0.275 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.355 s |
| Then click on first view icon to see the transferred AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And maker should logout AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.925 s 0.172 s 0.172 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And maker should logout AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.275 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | | | | |
| Screenshot 14 And maker should logout AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 0.266 s | 13 | Then click on first view icon to see the transferred | PASSED | 0.925 s |
| 14 And maker should logout AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 0.266 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| 14 And maker should logout AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 0.266 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | | S | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s | 14 | And maker should logout | PASSED | 0.275 s |
| screenshot | | | PASSED | 0.266 s |
| | | screenshot | 7 | |


DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | | | |


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

