


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	BUSINESS PARTNER SETUP	1	0	1	0	55.585 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	BUSINESS PARTNER SETUP	Create a Vendor for the procurement of an asset	16	0	1	15	55.579 s

DETAILED SECTION -- 4 --

## (F)- BUSINESS PARTNER SETUP

FAILED	DURATION - 55.585 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 2:45:49.153 AM	1 // 2:46:44.738 AM /	Pass - 0	1	Pass - 0	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

## (S)- Create a Vendor for the procurement of an asset



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	19.132 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511.cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53cd84c4cf2bc5f7e6da8c5d8f405a17, clickElement {id=e3dc2927-edff-4e2e-8aa2-a2416c62bc44}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:54187}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54187/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (53cd84c4cf2bc5f7e6da8c5d8f405a17)] -> xpath: //ion-item[2]/ion-radio] Session ID: 53cd84c4cf2bc5f7e6da8c5d8f405a17 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec	PAILED	19.132 \$

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh AzentioFramework/src/test/		
	java/features/BUSINESS_PARTNER_SETUP_BusinessPartner.feature:7)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.929 s
	screenshot	]	
	The state of the s		
2	And user should navigate to business partner setup menu	SKIPPED	0.000 s
3	When click on eye button of business partner	SKIPPED	0.000 s
4	And click on add button of business partner	SKIPPED	0.001 s
5	And Fill the required fields to create a vendor	SKIPPED	0.000 s
6	Then Save and submit the record to create vendor	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.001 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the contract record	SKIPPED	0.001 s

EXPANDED SECTION -- 7

