


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	ACCOUNTS PAYABLE	1	0	1	0	40.604 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Create a contract	21	6	1	14	40.595 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 40.604 s	Scenarios		Steps	
		Total - 1		Total - 21	
7:56:28.171 PN	M // 7:57:08.775 PM /	Pass - 0	1	Pass - 6	21
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 14	

(S)- Create a contract



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	14.704 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.696 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	0.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		


# ** *********************************	
The Control of the Co	
3 When click on eye button of vendor contract PASSE	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	D 0.757 s
screenshot	
4 And click on add button to create contract PASSE	D 0.458 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	D 1.015 s
screenshot	
5 And Fill the required fields to create contract PASSE	3.196 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	0.216 s
6 Then Save and submit the creation contract record PASSE	7.803 s
	D 0.214 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	==

And User should go to the kubs url and login as a reviewer user org.openga.selenium.NoSuchWindowskception: no such window: target window already closed from unknown error; web view not found (Session info: chrome-96, oc.644-45) Bull info: creation (10-1), revision: 10-11, revision: to: 5551.Lobds (System info: host: PG00/8KU; jp: 10.147.121; os.name: Windows 10, os.arch: land64, os. version: 10-0, java version: 170.11 Driver info: org.openga.selenium.chrome.ChromeDriver Command (56.15676cdfa11.stc952cdfa104870.1), finale microlic (insign-ganh), vulue-imput (jamane-issemame) (jp: 10-pathilizes (acceptinsecureCerts: faite, browserNeme: chrome, browserNersion: 96, 0.4664.45, chrome-chrome-issemame) (jp: 10-pathilizes (acceptinsecureCerts: faite, browserNeme: chrome, browserNersion: 96, 0.4664.45, chrome-chrome-issemame) (jp: 10-pathilizes) (acceptinsecureCerts: faite, browserNeme: chrome, browserNersion: 96, 0.4664.45, chrome-chrome-issemame) (jp: 10-pathilizes) (acceptinsecureCerts: faite, browserNeme: chrome, browserNersion: 96, 0.4664.45, chrome-chrome-issemame) (jp: 10-pathilizes) (acceptinsecureCerts: faite, browserNeme: chrome, browserNersion: 96, 0.4664.45, chrome-issemame-issemame) (jp: 10-pathilizes)	#	Step / Hook Details	Status	Duration
org.openga.selenium.NoSuchWindowException: no such window; target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: 4.0.0-ic-1; revision: 'bc551Lcbda' System info: host: 'PG00X8RU', ip: '10.1.47.121', os.name: 'Windows 10; os.ach': amd64. os.ach': amd64. os.exion: '10.0.1, jeav.exison: '17.0.1' Driver info: org.openga.selenium.chrome.Chromebriver Command: (651L676c45113cf6992c67abb496710, findElement (using=xpath, value=//input(@name=username)); Capabilities (acceptinsecureCetris: fisles, browserName: chrome, browserVersion: 96.0.4664.45 (7664c1bb2ab46, user/bataDir: C'U.SersiNINIDO-11-yppDatall), goog:chromeOptions: (debuggerAddress: localitos), platformName: WINDOWS, proxy. Proxy(), se.cdp: ws://localhost:65109/devloo, sec.cdpversion: 96.0.4664.45, setWindowRect: true, strictFileInterractability: faise, timeouts: (implicit: 0, pageLoad: 30000), script: 30000), unhanddeformgilEehavori dsmiss and notify, webatuhns-extension.credBlob: true, webauthn-virtualAuthenticators: true). Session 10: 651L676cf45113cf8962c67abb496710 at java.base/jdx.internal.reflect.NativeConstructorAccessor/impl.newInstance(NativeConstructorAccessor/impl.java.77) at java.base/jdx.internal.reflect.AntiveConstructorAccessor/impl.newInstance(DelegatingConstructorAccessor/impl.java.45) at java.base/jdva.linternal.reflect.Constructor.evelorsanceWithCaller(Constructor.java.480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.betwo.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.betwo.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExceute(DriverCommandExecutor.java.139) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExceute(Driver		Company Comp		
(Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-c-1,' revision: 'bc5511cbda' System info: host: 'Pc00XBKU', ip: '10.1.47.121,' os.anam: 'Windows 10', os.arch: 'amd64', os.version: '10', igava version: '17.0.1' Driver info: org.openga.selenium.chrome.chromeDriver Command: (6516876cd51313cf8962c67abb496710, findElement (using:xpath, value=//input)@name=fusername]! (2pabilities (acceptinsecure-Certs: false, browserAbme: chrome, browseVersion: 98.0.4664.45, forme: (chrome-lichromedriverVersion: 96.0.4664.45) (764c1bb2ab46 userDataDir C:UsersiNININOC-11AppDataLL); opog:chromeOptions: (debuggerAddress: loadlost:65109), javascriptEnabled: frue, networkConnectonEnabled: false, pageLoadStrategy, normal, platform: WiNDO, platformse WINDOWS, prosy: Proxy(), sec.dp; ws://localhost:65109/devtoo, sec.dp.Version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit 0, pageLoad: 300000), script: 300000, unlandelle/prompBehavior: dismiss and notify, webautherseinoir.credBlob: true, webauthn:virtualAuthenticators: frue) Session ID: 651c876c45113cf8962c67abb496710 at java.base/jdk.internal.reflect.NativeConstructorAccessorimpl.newInstance(NativeConstructorAccessorimpl.java.77) at java.base/jdk.internal.reflect.NativeConstructorAccessorimpl.newInstance(NativeConstructorAccessorimpl.java.45) at java.base/jdk.internal.reflect.DelegatingConstructor.Accessorimpl.mewInstance(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java.490) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.grateException(W3CHttpResponseCodec.java.130) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openga.selenium.remote.evec.v3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.139) at org.openga.selenium.remote.evec.priverCommandExecutor.invokeExecute(DriverCommandExecutor.java.164) at org.	7	And User should go to the kubs url and login as a reviewer user	FAILED	2.181 s
		(Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: '0.5511chda' System info: host: 'PGO0X8KU', ip: '10.1.47.121', os.name: Windows 10', os.arch: 'am64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: (551c876c145113cf8962c67abb496710, findElement (using=xpath, value=/input(@name='username]) Capabilities (3cecptinsecureCers: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2abd6, user) Carlson (17.40pDa1atl), goog:chromeOptions: {debuggerAddress: localhost.65109}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp. ws://localhost.65109/devtoo, se.cdpVersion: 96.0.4664.45, setWindowRect: true, strict=lieInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 651c876c45113cf8962c67abb496710 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.evasc.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.evasc.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at or		
			FAILED	0.019.6


#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [651c876cf45113cf8962c67abb496710, screenshot {}] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L,}, goog:chromeOptions: (debuggerAddress: localhost:65109}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65109/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 651c876cf45113cf8962c67abb496710 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.j		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.001 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.004 s
11	And Click on security management in checker	SKIPPED	0.001 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the contract record	SKIPPED	0.001 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.002 s
19	When click on eye button of vendor contract	SKIPPED	0.006 s
20	Then click on first eye button to get the unique contract code	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.484 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [651c876cf45113cf8962c67abb496710, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\tinl\tinl\tinl\tinl\tinl\tinl\tinl\tinl		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

