


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	1 m 48.870 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Cancellation of approved receipts Cancel approved	20	20	0	0	1 m 48.864 s
	Module	receipts through Cheque Mode					

DETAILED SECTION -- 4 -

## (F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 1 m 48.870 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 5:15:56.850 PN	// // 5:17:45.720 PM /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Cancellation of approved receipts Cancel approved receipts through Cheque Mode



#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	18.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
2	Then Click on the Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ State of the control of the contr		
3	Then Click on the Direction	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
	Wind and State of the Control of the		
4	Then Click on Accounts Recivable	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	Screenshot   **********************************		
5	Then Click on Receipts reversals eye button	PASSED	0.743 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.275 s
6	Then Click on add button of Receipts reversals	PASSED	1.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.659 s
	screenshot		

Then Fill all the details of Receipts reversals formm  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on save button of Receipts reversals form  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  Then Open first record from Edit Grid of Receipts reversals  PASSED  Then Open first record from Edit Grid of Receipts reversals  Then Open first record from Edit Grid of Receipts reversals	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### PASSED  ### PASS		Note     0   0   0   0   0   0   0   0   0		
Screenshot   Secreenshot   S	7	· · · · · · · · · · · · · · · · · · ·	PASSED	
Then Click on save button of Receipts reversals form  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED 0.143 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.143 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  To apply the passed of the pas		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
Then Click on save button of Receipts reversals form  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 3.099 s  3.099 s  3.099 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 2.223 s  PASSED 0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.104 s				
screenshot  9 Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.223 s  PASSED  0.104 s	8	Then Click on save button of Receipts reversals form	PASSED	3.099 s
9 Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.223 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
9 Then Click on Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.223 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.223 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.192 s  PASSED  0.192 s				
screenshot  10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s	9	Then Click on Edit Grid of Receipts reversals	PASSED	0.225 s
10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 2.223 s 0.104 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
10 Then Open first record from Edit Grid of Receipts reversals  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.104 s		No.   Section   Section		
	10	Then Open first record from Edit Grid of Receipts reversals	PASSED	2.223 s
corconchat		·	PASSED	0.104 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
11	Then Click on initiate	PASSED	6.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	## Open content of the content of th		
12	Then Click on the Notification	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.229 s
	## Open content of the content of th		
13	Then Select the record which we saved	PASSED	0.514 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.286 s
	*** On the control of		
14	Then Submit record	PASSED	9.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

#	Step / Hook Details	Status	Duration
	*** *** **** **** **** ***** ***** *****		
15	Then Open the Reviewer account	PASSED	17.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
	The state of the s		
16	Then Click on the Notification	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot	1	
	The state of the s		
	Stat Stat		
17	Then Approve the record which we submitted from maker	PASSED	13.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot	_	
	With the control of t		
18	Then Go to Checker login	PASSED	7.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Sense & Sense		
19	Then Clam record	PASSED	2.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	* O the formation of the first transfer of the formation		
20	Then Click on the notification and approve the record	PASSED	8.906 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
	State   Stat		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --

