Cucumber Report

Start : Jan 09, 9:22:46.436 PM	End : Jan 09, 9:23:25.366 PM	Duration : 38.930 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	*AR/AP Module*	1	0	1	0	38.930 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	38.926 s

(F)- AR/AP Module

FAILED	DURATION - 38.930 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 9:22:46.436 PM // 9:23:25.366 PM /		Pass - 0	1	Pass - 3	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify status for the receipt is auto changed to Deposit

FAILED	DURATION - 38.926 s		Steps	
/ 9:22:46.439 PM // 9:23:25.365 PM /			Total - 9	
AR/AP Module			Pass - 3	9
@AR/AP @KUBS_AR_AP_UAT_010_002_TC_02_01			Fail - 1 Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.671 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.877 s
	screenshot		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot 		
4	And goto accouts receipt module	FAILED	1.315 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/193" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (199, 65). Other element would receive the click: <ion-header _ngcontent-ajo-c278="" role="banner" class="md header-md header-collapse-none hydrated">...</ion-header> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.22', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3b664fdbf1d0f3620e4e333b66d143e2, clickElement {id=e7a899cc-6639-439a-8d0f-ef3249b87405}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\lNINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52241}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52241/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3b664fdbf1d0f3620e4e333b66d143e2)] -> xpath: //ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/193']] Session ID: 3b664fdbf1d0f3620e4e333b66d143e2
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
		FAILED	1.315 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:110) at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.347 s
5	And click on Add Icon	SKIPPED	0.000 s
6	And fill the all receipt mendatory details	SKIPPED	0.000 s
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

AZENTIO
ONEBanking

11-Nov-2022   English ⌄   Azentio Software ⌄   (AZENTMAIN)   ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
  - Accounts receivable (Debit notes)
  - Credit notes on

22 Appro... ✕   11 Mess... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

AZENTIO
ONEBanking

11-Nov-2022   English ⌄   Azentio Software ⌄   (AZENTMAIN)   ANANT

- Receipts
- Receipts reversals
- Cheque deposit
- Update cheque status
- Appropriation
- Appropriation reversals
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro... ✕   11 Mess... ✕