

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	1	0	0	2 m 8.139 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Check Asset DeAllocation Report	11	11	0	0	2 m 8.125 s

(F)- To verify the reports for fixed asset

PASSED	DURATION - 2 m 8.139 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 5:10:55.177 P	PM // 5:13:03.316 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check Asset DeAllocation Report



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	1 m 14.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.843 s
	screenshot		
	AND STATE OF THE PROPERTY OF T		
2	Then Click on Report button	PASSED	1.677 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.882 s
	screenshot		
	AND TO THE REPORT OF THE PARTY		


#	Step / Hook Details	Status	Duration
3	Then Click on Transaction Reports tab	PASSED	8.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.934 s
	screenshot		
	AND SECURITY OF THE PROPERTY O		
4	Then Click on DeAllocation Report edit button	PASSED	1.846 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.670 s
	screenshot		
5	Then Choose the data set id for asset allocation report	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
	screenshot		
6	Then fill DeAllocation Report details	PASSED	0.928 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
	screenshot		
	State for the state of the stat		
7	And Get the system data	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	screenshot		
	<u>I</u>		

1 ALBITO 1 A	
8 Then Select DeAllocation from date in calendar 5.888	8 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.611	.1 s
screenshot	
All Statements of the Control of the	
9 Then Select DeAllocation to date in calendar 2.309	9 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.650	0 s
screenshot	
State Sign Sign Sign Sign Sign Sign Sign Sign	
10 Then Click on the View button PASSED 0.608	8 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.709	9 s
screenshot	
AND THE PROPERTY OF THE PROPER	
11 Then close the report 2.269	9 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.794	4 s
screenshot	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	### CAST CAST		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

