

# Cucumber Report

Feb 23, 2022, 3:29:21 AM

Start : Feb 23, 3:28:59.255 AM

End : Feb 23, 3:29:20.686 AM

Duration : 21.431 s

Features

Scenarios


Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Advances <u>functionality</u>	1	0	1	0	21.431 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Acount Receivable Advances functionality</u>	<u>Advance to employee must be created and displayed in approved list view.</u>	7	6	1	0	21.428 s


**(F)- Checking the Account Receivable Advances functionality**


<b>FAILED</b>	<b>DURATION - 21.431 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 3:28:59.255 AM // 3:29:20.686 AM /					


**(S)- Advance to employee must be created and displayed in approved list view.**

<div>FAILED</div> <div>DURATION - 21.428 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:28:59.258 AM // 3:29:20.686 AM /</div>			
<div>Checking the Account Receivable Advances functionality</div>			
<div>@KUBS_AR/AP_UAT_002_003_TC_01</div> <div>@MultiAuth</div>			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Recivable button	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot 		
4	Then Click on Account Recivable Advances eye button	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot 		
5	Then Click to add record in Account Recivable	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot 		
6	Then Fill the form for Account Recivable	PASSED	4.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p><b>Then Click on save button to save the Record for Account Recivable</b></p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1413, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a504ef008fb2798b1cef517bccbf2d3, clickElement {id=dce6c1e1-dca2-4535-801f-10d7915d244c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58633}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58633/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a504ef008fb2798b1cef517bccbf2d3)] -&gt; xpath: (/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: a504ef008fb2798b1cef517bccbf2d3</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountReceivable_AccountReceivableAdvances.click_on_save_button_to_save_the_record_for_account_recivable(AccountReceivable_AccountReceivableAdvances.java:110) </pre>	FAILED	1.088 s

#	Step / Hook Details	Status	Duration
	at ?.Click on save button to save the Record for Account Recivable(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_AccountReceivableAdvances.feature:12) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot	PASSED	0.098 s
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.


(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.


(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

















Finance

General ledger transaction  
Budget  
Accounts payable  
Adjustments (AR and AP)  
Accounts receivable

Accounts receivable (Debit notes)  
Credit notes on invoice  
Accounts receivable (Advances)  
Receipts

22 Appro... 11 Messa...

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
 	AZENTMAIN - Azentio N	Advance Against PO	ADV_22_2322022	Bonton Agency	1000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_21_2322022	Gangeeta	20000	19-Oct-2022	Active
 	AZENTMAIN - Azentio N	Advance Against PO	ADV_20_2222022	Bonton Agency	1000	19-Oct-2022	Cancelled
 	BR0003 - East Zone	Advance To Employee	ADV_19_1712022	Shisankar Sivanand Lah	50000	02-Jun-2022	
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_18_1212022	Santosh Shant Kosti	20000	02-Jun-2022	
 	BR0003 - East Zone	Advance Against PO	ADV_17_1212022		100000	02-Jun-2022	
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_16_1112022	Santosh Shant Kosti	300000	02-Jun-2022	
 	AZENTMAIN - Azentio N	Advance To Employee	ADV_15_512022	Santosh Shant Kosti	15000	01-Apr-2022	

22 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction  
Budget  
Accounts payable  
Adjustments (AR and AP)  
Accounts receivable

Accounts receivable (Debit notes)  
Credit notes on invoice  
Accounts receivable (Advances)  
Receipts

22 Appro... 11 Messa...

Advances

\* Entity Branch: Azentio Main Branch x

\* Receivable Name: Advance To Employee x

Business Partner/Employee Name: x

Advace Number: x

\* Date: 19-Oct-2022

Po Number: x

\* Payment Mode: Cheque x

\* Amount: 50.00 INR x

Cost Center: FINANCE x

\* Description: ADV

\* Status: Active

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	Business Partner/Employee Name
Azentio Main Branch x	Advance To Employee x	
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
Cheque x	50.00 INR x	FINANCE x
* Description ADM	* Status Active	

22 Appro... 11 Messa...

Home Preference