
Duration: 35 m 40.978 s Start: May 05, 7:29:32.135 PM End: May 05, 8:05:13.113 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 20 40 50 60 40 50 60 40 50 60 30 Pass % Pass % 70 Pass % 70 20 20 20 80 80 80 90 90 10 65 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	35 m 40.978 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	20	13	1	6	35 m 40.960 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 35 m 40.978 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 7:29:32.135 PI	M // 8:05:13.113 PM /	Pass - 0	1	Pass - 13	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 35 m 40.960 s	2,000	1				1		1								;	Steps			
/ 7:29:32.153 PM // 8:05:13.113 PM /	1,500	#-									-		-		t		Total - 20			
testing the fuctionalities of bank reconciliation	1,000	-		+		+		+		-	- + -	- -	- + -	- -	t	-	Pass - 13		20	
module	500	1 _	_												ı		Fail - 1	7		,
@KUBS_TAX_UAT_004_001TC_001	0	-1 ===	1	2	3	4	5	6	7 8	9	10	11	12	13	14	15	Skip - 6	`		

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	1 m 46.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.115 s
	screenshot		
	To the contraction of the contra		
2	And user click bank recon module	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Votes to space to be before a control of ■ 0 most of the control of ■ 0 most of ■ 0 mo		
3	And user click eye icon in bank recon module	PASSED	0.607 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.945 s
	screenshot		
	1		
4	And user click add icon in bank recon	PASSED	0.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.966 s
	screenshot		
	Value Val		
5	And user select bank name in bank recon Module	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.552 s
	screenshot		
	■ Oranipersonal Part (and the control of a fine of a fi		
6	And user select bank account Number in bank recon Module	PASSED	1.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot	7	
			-


After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Afte	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 And user click bank recon to date and select the date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass.		0		
Screenshot PASSED 1.458 s	7	And user click bank recon from date and select the date	PASSED	
And user click bank recon to date and select the date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AND User click save button in bank recon AND User click save button in bank recon AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
8 And user click bank recon to date and select the date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s PASSED 0.261 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.470 s 0.470 s 0.470 s		Use the second of the second o		
Screenshot 9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s 0.449 s 0.449 s 0.449 s 0.451 s 0.451 s 0.451 s 0.451 s 0.451 s 0.461 s	8	And user click bank recon to date and select the date	PASSED	1.458 s
9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.449 s PASSED 0.119 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.470 s
9 And user click choose file and upload the bank statement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s 0.449 s 0.449 s 0.419 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.449 s 0.419 s 0.419 s		State Stat		
Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s	9	And user click choose file and upload the bank statement	PASSED	0.097 s
10 And user click save button in bank recon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.261 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s 0.261 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s		© Name Section Section		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s	10	And user click save button in bank recon	PASSED	0.119 s
screenshot			PASSED	0.261 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	3.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	The Description of the Descripti		
12	And user click the unmatched data in bank recon process	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot *** *******************************		
13	And user click matched data tab	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
	Note 15 April 1 April		
14	And user select bank reconcilation basis bank to book	FAILED	33 m 20.561 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[ChromeDriver: chrome on WINDOWS (a29f3af72f0407d352a6401c8f78dd2a)] -> xpath: //ion-grid[1]//ion-col[1]//input] (tried for 2000 second(s) with 500 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir:		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60121}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60121/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: a29f3af72f0407d352a6401c8f78dd2a at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.Bank_ReconModule.user_select_bank_reconcilation_basis_bank_to_book(Bank_ReconModule.java:91) at ?.user select bank reconcilation basis bank to book(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:95) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.127 s
	screenshot		
	The state of the s		
15	And user unmatch the matched records in matched tab	SKIPPED	0.000 s
16	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
17	And user match the records in unmached tab fot textt file	SKIPPED	0.000 s
18	And user click matched data tab	SKIPPED	0.000 s
19	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
20	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

