Cucumber Report

| Start : Jan 12, 6:33:24.001 PM	End : Jan 12, 6:33:47.556 PM	Duration : 23.555 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 12

Features: 1

Scenarios: 1

Steps: 26

Features — Pass % : 0 %

Scenarios — Pass % : 0 %

Steps — Pass % : 50 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	23.555 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify maker can able to multiple budget code in auto auth	26	13	1	12	23.550 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 23.555 s	Scenarios		Steps	
/ 6:33:24.001 PM // 6:33:47.556 PM /		Total - 1		Total - 26	
		Pass - 0	1	Pass - 13	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- To verify maker can able to multiple budget code in auto auth

| FAILED	DURATION - 23.550 s		Steps	
/ 6:33:24.006 PM // 6:33:47.556 PM /			Total - 26	
To check BudgetDefinition moduel feature			Pass - 13	26
			Fail - 1	
@AutoAuth_multiple_budgetCode			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
4	And click on add icon	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
5	Then create first budget code	PASSED	0.705 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
6	Then select the record from notification	PASSED	0.834 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on approve button	PASSED	0.787 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot 		
8	And enter remark in alert tab	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot 		
9	And click on submit	PASSED	0.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot 		
10	Then check the approval status form alert message	PASSED	0.650 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on budget definition sub menu and click on eye icon	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
12	And click on add icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
13	Then create second budget code	PASSED	0.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
14	Then select the record from notification	FAILED	1.206 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-ngn-c276="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1254, 28). Other element would receive the click: <div role="alertdialog" aria-live="polite" class="ng-tns-c135-0 toast-message ng-star-inserted" aria-label="Record APPROVED Successfully " style="">...</div> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:		

| #	Step / Hook Details	Status	Duration

	'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c948957ec35876544f0222c2e97816a5, clickElement {id=9b5784c9-fe11-40b2-8052-dc1531265702}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55459}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55459/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c948957ec35876544f0222c2e97816a5)] -> xpath: //ion-toolbar[1]/ion-buttons[2]/ion-button[2]] Session ID: c948957ec35876544f0222c2e97816a5
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.BUDGET_BudgetCreation.select_the_record_from_notification(BUDGET_BudgetCreation.java:393)
	    at ?.select the record from notification(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/ java/features/KUBS_BudgetDefinition.feature:545)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.227 s

#	Step / Hook Details	Status	Duration
15	Then click on approve button	SKIPPED	0.001 s
16	And enter remark in alert tab	SKIPPED	0.000 s
17	And click on submit	SKIPPED	0.000 s
18	Then check the approval status form alert message	SKIPPED	0.000 s
19	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
20	And click on add icon	SKIPPED	0.000 s
21	Then create Third budget code	SKIPPED	0.001 s
22	Then select the record from notification	SKIPPED	0.000 s
23	Then click on approve button	SKIPPED	0.001 s
24	And enter remark in alert tab	SKIPPED	0.000 s
25	And click on submit	SKIPPED	0.001 s
26	Then check the approval status form alert message	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to multiple budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to multiple budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

Actions		Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
👁 ✏		BUDG417	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG416	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG415	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG414	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG412	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		Budg	Test	QUARTERLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDC4021	Office Expense	MONTHLY	Active	1002435	12-Jan-2022	1002437
👁 ✏		BUDG411	Test	YEARLY	Active	1002437	12-Jan-2022	1002437

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

Actions		Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
👁 ✏		BUDG417	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG416	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG415	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG414	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDG412	Test	YEARLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		Budg	Test	QUARTERLY	Active	1002435	12-Jan-2022	1002435
👁 ✏		BUDC4021	Office Expense	MONTHLY	Active	1002435	12-Jan-2022	1002437
👁 ✏		BUDG411	Test	YEARLY	Active	1002437	12-Jan-2022	1002437

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple
budget code in auto auth

(F) To check BudgetDefinition moduel
feature

| ☰ | 🌐 Kastle Universal Banking | 21-Oct-2021 English ▾ | Azentio Software ▾ | (AZENT-MAIN) 🔔 | ⬛ | 👤 ANANT |

Finance ▾

🛠 ⇶ 📋

⊘ Business partner setup
⊘ Accounting setup
⊘ General ledger configuration
⊘ Expense/AR & AP configurati...
⊘ Budget configuration
▶ Budget definition ✎ 👁
⊘ Fixed assets configuration
⊘ Inventory maintenance
⊘ Bank recon
⊘ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

← Budget Definition 💾

| * Budget Code | * Budget Type | * Warning Percentage |
| BDG5680 | YEARLY ✕ ▾ | 23 |

| * Budget Name | Remark |
| Home budget | Ok |

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to multiple
budget code in auto auth

(F) To check BudgetDefinition moduel
feature

| ☰ | 🌐 Kastle Universal Banking | 21-Oct-2021 English ▾ | Azentio Software ▾ | (AZENT-MAIN) 🔔 | ⬛ | 👤 ANANT |

Finance ▾

🛠 ⇶ 📋

⊘ Business partner setup
⊘ Accounting setup
⊘ General ledger configuration
⊘ Expense/AR & AP configurati...
⊘ Budget configuration
▶ Budget definition ✎ 👁
⊘ Fixed assets configuration
⊘ Inventory maintenance
⊘ Bank recon
⊘ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✎	420	BUDGET_REGISTER	Test01	MAKER	1002435	Budget Defination	
✎	419	BUDGET_REGISTER	Test01	MAKER	1002435	Budget Defination	
✎	418	BUDGET_REGISTER	Test01	MAKER	1002435	Budget Defination	
✎	417	BUDGET_REGISTER	Test01	MAKER	1002435	Budget Defination	
✎	338	BUDGET_SUPPLIMENT	Test01	MAKER	1002435		

Budget Registration created successfully.   success   ✕

981 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to multiple budget code in auto auth

(F) To check BudgetDefinition moduel feature