

Cucumber Report

19 Jan 2023, 9:52:13 AM

Start : Jan 19, 9:50:57.036 AM

End : Jan 19, 9:52:11.101 AM

Duration : 1 m 14.065 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	1	0	1	0	1 m 14.065 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	<u>Create format master and Data matching Rules for a specific Bank and Account Type</u>	30	6	1	23	1 m 14.055 s





(F)- To create Bank Recon details

FAILED	DURATION - 1 m 14.065 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 30 Pass - 6 Fail - 1 Skip - 23	
/ 9:50:57.036 AM // 9:52:11.101 AM /					


(S)- Create format master and Data matching Rules for a specific Bank and Account Type

FAILED	DURATION - 1 m 14.055 s		Steps Total - 30 Pass - 6 Fail - 1 Skip - 23	
/ 9:50:57.046 AM // 9:52:11.101 AM /				
To create Bank Recon details				
@KUBS_BRS_UAT_001_001_TC_001 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	51.978 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.112 s
	screenshot		
			
2	Then Click on Direction Left	PASSED	1.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
4	Then click on Bank Recon format eye button	PASSED	0.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.828 s
	screenshot		
			
5	Then Click on Inventory Maintenance Add button	PASSED	0.854 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
			
6	Then user update the Excel sheet testdata for BankRecon	PASSED	0.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
7	Then fill the Bank Reconciliation Format	FAILED	4.033 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="ac50ca50fc5d"> is not clickable at point (1094, 393). Other element would receive the		


#	Step / Hook Details	Status	Duration
	<p>click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [485f4b32d72ea52443fbc0ad54ad1089, clickElement {id=9d8434ef-342d-4f46-aad8-9cc7fa2b41a3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64929}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64929/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (485f4b32d72ea52443fbc0ad54ad1089)] -> xpath: //ion-row[1]/ion-col[9]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: 485f4b32d72ea52443fbc0ad54ad1089</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BankRecons.fill_the_bank_reconciliation_format(BankRecons.java:141) at ?.fill the Bank Reconciliation Format(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:11) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill the Bank Reconciliation Placeholder	SKIPPED	0.001 s
9	Then Click on Inventory Item Save button	SKIPPED	0.003 s
10	Then Click on Inventory Maintenance Add button	SKIPPED	0.001 s
11	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
12	Then File Data matching rule	SKIPPED	0.001 s
13	Then Click on Inventory Item Save button	SKIPPED	0.000 s
14	Then click back button	SKIPPED	0.001 s
15	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
16	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
17	Then File Transaction Data matching rule	SKIPPED	0.001 s
18	Then Click on Inventory Item Save button	SKIPPED	0.001 s
19	Then click back button	SKIPPED	0.000 s
20	Then Click on Inventory Maintenance Add button	SKIPPED	0.003 s
21	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
22	Then File Deposit Data matching rule	SKIPPED	0.004 s
23	Then Click on Inventory Item Save button	SKIPPED	0.000 s
24	Then click back button	SKIPPED	0.000 s
25	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
26	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
27	Then File Withdrawals Data matching rule	SKIPPED	0.000 s
28	Then Click on Inventory Item Save button	SKIPPED	0.000 s
29	Then Click on Inventory Item Notification	SKIPPED	0.002 s
30	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type


(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type


(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type













(F) To create Bank Recon details

AZENTIO ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Format Master List View

Actions	Bank Name	Applicable Account Type	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
 	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
 	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
 	ICICIBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
 	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
 	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
 	STATE BANK OF INDIA	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022			1002437	30-Sep-2022

6 total

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO ONEBanking

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name * Applicable Account Type * Upload File Extension

* Separator * Allow unadjust entry from Bank statement Effective Date

Format Status * Allow Value Date Uplo Summery Lines To Be Skipped *

ACTIVE

File Name Prefix *

Bank Reconciliation Placeholder

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

The screenshot displays the 'Bank Reconciliation Format Master' configuration page in the AZENTIO ONEBanking system. The left sidebar lists various setup categories, with 'Bank recon' and 'Recon format' highlighted. The main content area contains a form for defining a bank reconciliation format. The form includes the following fields and values:

- Bank Name:** Bank Of India
- Applicable Account Type:** SAVINGS ACCOUNT
- Upload File Extension:** Text
- Separator:** Fixed Length
- Allow unadjust entry from Bank statement:** NO
- Effective Date:** 04-Jan-2023
- Format Status:** ACTIVE
- Allow Value Date Upto:** (empty)
- File Name Prefix:** (empty)

A calendar widget is open, showing the month of January 2023. The date 04-Jan-2023 is selected, which corresponds to the 'Effective Date' field in the form.