Cucumber Report

| **Start : Jan 11, 12:14:12.826 PM**	**End : Jan 11, 12:15:34.379 PM**	**Duration : 1 m 21.553 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 8

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 87 %

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 21.553 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify download file is auto created basis the defined time and user is allowed to download the file.	8	7	1	0	1 m 21.547 s

(F)- AR_AP Module

FAILED	DURATION - 1 m 21.553 s	Scenarios		Steps	
/ 12:14:12.826 PM // 12:15:34.379 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1	1	Fail - 1	8
		Skip - 0		Skip - 0	

(S)- Verify download file is auto created basis the defined time and user is allowed to download the file.

FAILED	DURATION - 1 m 21.547 s		Steps	
/ 12:14:12.832 PM // 12:15:34.379 PM /			Total - 8	
AR_AP Module			Pass - 7	
@blocker @KUBS_AR_AP_UAT_008_003_TC01 @AR/AP			Fail - 1	8
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	44.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.967 s
	screenshot		
2	And click on arap configuration main menu	PASSED	0.867 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.663 s
	screenshot		
4	And user update the Excel sheet testdata for online payments	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
5	And configure the file format as Payout wise	PASSED	1.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
6	And save the arap configure record	PASSED	1.735 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
7	Then Click on Update Deposited Cheque Notification	PASSED	0.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Select and Submit the Update Deposited Cheque record1	FAILED	20.167 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0fd365ad34f8edc07b16dd314122cba6, findElement {using=xpath, value=//span[contains(text(),'null')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63653}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63653/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0fd365ad34f8edc07b16dd314122cba6
	   at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload. select_and_submit_the_update_deposited_cheque_record1(ACCOUNTSPAYBLE_PaymentFileDownload.java:783)
	   at ?.Select and Submit the Update Deposited Cheque record1(file:///C:/Users/ININDC00075/git/ Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:869)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module