

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	1 m 16.378 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify No accounting entry is generated on cancelling	18	18	0	0	1 m 16.370 s
	Module	advances against PO					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 1 m 16.378 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 2:56:21.279 pm	// 2:57:37.657 pm /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify No accounting entry is generated on cancelling advances against PO



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.999 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	■ Particular Section 1997 - Section		
2	Then Choose the second Tab Segment	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		

A And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - Stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - Stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - Stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.804 s AFTER_STEP - Stepdefinitions. Hooks Class. addScreenshot(jo.cucumber.java.Scenario) PASSED 0.205 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.248 s 0.253 s 0.523 s 0.526 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.256 s Then Enter Cancelled Value In Advance Status PASSED O.604 s		Was Was		
screenshot Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APTE	3	And Click On Main module Accounts Receivable	PASSED	0.146 s
Then Click on Accounts Receive Advances Eye Icon ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon And Click On Search Icon Arter_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon Apassed Arter_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon PASSED Arter_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click On Search Icon PASSED And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon PASSED And Click On Search Icon And Click On Search Icon		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.248 s 0.24		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Cancelled Value In Advance Status PASSED 0.523 s 0.524 s		Promise © C		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Cancelled Value In Advance Status PASSED 0.146 s PASSED 0.256 s 0.256 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.248 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Cancelled Value In Advance Status		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.256 s PASSED 0.256 s		■ © ANTONOMONICO ■ O O O O O O O O O O O O O O O O O	-	
Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.604 s	5	And Click On Search Icon	PASSED	0.146 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.604 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.604 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s	6	Then Enter Cancelled Value In Advance Status	PASSED	0.604 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
screenshot		screenshot		

7 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s 0.409 s 0.409 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.409 s 0.409 s
8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot O.116 s O.130 s
8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.116 s 0.130 s
8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.116 s O.130 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
screenshot *** ********************************
© Contraction Contraction
Final P. Atoms
9 Then Third Segment report Icon PASSED 0.366 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s
screenshot
* ** ** ** ** ** ** ** ** ** ** ** **
10 And Choose Enquiry Module PASSED 0.194 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.134 s
screenshot


#	Step / Hook Details	Status	Duration
	### Only 10 control 10		
11	Then Click Note iCon near by financial transction	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	10 10 10 10 10 10 10 10		
12	And choose branch code	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot	1	
	To the Contraction to the Contraction of the Contra		
13	And click on transaction from date in calender	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
14	Then Select from date in calender	PASSED	0.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		


15 And click on transaction to date in calender icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Then Select To date in calender AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And Click View HyperLink AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.170 s 17 And Click View HyperLink AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Verify No accounting entry is generated on cancelling advances. against PO PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 16 Then Select To date in calender AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 17 And Click View HyperLink AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.170 s 0.103 s PASSED 0.145 s Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.198 s 0.198 s 0.198 s		Travel Insertin		
Screenshot Then Select To date in calender AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.170 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s PASSED 0.139 s	15	And click on transaction to date in calender icon	PASSED	0.152 s
16 Then Select To date in calender AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And Click View HyperLink AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s PASSED 0.139 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
16 Then Select To date in calender AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 And Click View HyperLink AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s		We set that is a set to the set t		
Screenshot 17 And Click View HyperLink AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s	16	Then Select To date in calender	PASSED	0.983 s
17 And Click View HyperLink AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
17 And Click View HyperLink AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s PASSED 0.145 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s		© Marinanteness State 194 Out of the State 194 Out		
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot 18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 50.177 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.145 s	17	And Click View HyperLink	PASSED	0.103 s
Screenshot Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s				0.145 s
18 Then Verify No accounting entry is generated on cancelling advances against PO AFTER_STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber. java. Scenario) PASSED 0.139 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s		### O TOTAL PROPERTY 100 PER 100		
	18	Then Verify No accounting entry is generated on cancelling advances against PO	PASSED	50.177 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
		screenshot		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration


EXPANDED SECTION -- 10 --






EXPANDED SECTION


-- 12 --




EXPANDED SECTION --- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

