


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	27.891 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Create a category for the accounting type based on the	32	12	1	19	27.884 s
	Module	base accounting book for Income					

DETAILED SECTION -- 4 --

## **(F)-** Check the Functionality of the GL2 Module

FAILED	DURATION - 27.891 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 5:16:10.944 pm	n // 5:16:38.835 pm /	Pass - 0	1	Pass - 12	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

## (S)- Create a category for the accounting type based on the base accounting book for Income

/ 5:16:10.951 pm // 5:16:38.835 pm /  Check the Functionality of the GL2 Module  @KUBS_GL_UAT_003_003  Total - 32 Pass - 12 Skip - 19	FAILED	DURATION - 27.884 s																Steps		
Check the Functionality of the GL2 Module  5 - Skip - 19	/ 5:16:10.951	1 pm // 5:16:38.835 pm /	10	╂┃				  -										Total - 32		N.
Skin - 19		<u> </u>	5	-  -				 		-								Pass - 12	32	
@KUBS_GL_UAT_003_003 Skip - 19	Check the Fur	nctionality of the GL2 Module																Fail - 1		
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	@KUBS_GL_	UAT_003_003	0	-	1 .	2 2	<u> </u>	 	<del>-</del>	-	+	<del>-</del>	<del>+</del>	12	19	44	15	Skip - 19	•	,

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	13.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	■ Particular Control (1997)    The particular Control (1997)    T		
2	And Click on Accounting Setup module	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		

The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Men Give the type as Base Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.291 s  0.247 s  0.247 s				
screenshot  And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Stephanology  When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.026 s  PASSED 0.133 s	3	-	PASSED	0.401 s
And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  When Give the type as Base Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.133 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
4 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 When Give the type as Base Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.227 s  O.22		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 When Give the type as Base Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.247 s  0.247 s  0.247 s		** O MANIFORMATION   100 M		
screenshot  When Give the type as Base Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.026 s  PASSED  0.133 s	4	And Click On Search Icon	PASSED	0.174 s
5 When Give the type as Base Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Get the Account Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.026 s  PASSED  0.133 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
5 When Give the type as Base Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  PASSED  0.198 s  0.198 s  0.198 s  0.198 s  0.198 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  0.198 s  PASSED  0.198 s				
Screenshot  6 And Get the Account Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.133 s	5	When Give the type as Base Template	PASSED	0.257 s
6 And Get the Account Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.133 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
6 And Get the Account Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.026 s  0.133 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.133 s		I Management & D Tomas & D		
	6	And Get the Account Book Name	PASSED	0.026 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
		screenshot	7	

#	Step / Hook Details	Status	Duration
	■ © 100 (100 (100 (100 (100 (100 (100 (10		
7	Then click sub module Accounting Category	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
	## 100 Million   100 Million		
8	And Click on Add icon	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.355 s
9	And enter the category code as Income	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   **Texal Control of the Control	PASSED	0.174 s
10	And select the accounting book for Income	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Water   part   Annaham   Water   part   Part		
11	And enter the accounting category	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
12	And select GI code generation	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	10   10   10   10   10   10   10   10		
13	And Save the Record	FAILED	1.207 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" style="opacity: 1;" toast-component=""> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [d6051f32a1c44a9a4c6647974ba2e149, clickElement {id=e9b0b58d-fa77-4df7-bfb1-036b93ba7ed7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64624}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64624/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:intualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d6051f32a1c44a9a4c6647974ba2e149)] -&gt; xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: d6051f32a1c44a9a4c6647974ba2e149]</div>		

#	Step / Hook Details	Status	Duration
at java.bas at java.bas at java.bas at java.bas at org.oper at java.bas	e/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) e/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) e/java.lang.reflect.Constructor.newInstance(Constructor.java:480) e/java.lang.reflect.Constructor.newInstance(Constructor.java:480) qa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) qa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) qa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) qa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) qa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) qa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) qa.selenium.remote.RemoteWebDement.execute(RemoteWebDriver.java:547) qa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) qa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) e/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) e/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) e/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) e/java.lang.reflect.Method.invoke(Method.java:568) qa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) ///jdk.proxy2.\$Proxy46.click(Unknown Source) initions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:138) he Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ inig_Setup.feature:122) ble characters are replaced by '?'.		0.101
	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
Screenshot	WHITE 1921 - 121-121		
14 Then Goto	The Notification Icon	SKIPPED	0.000 s
15 And Store th	e Referance Id and Open the Record	SKIPPED	0.001 s
16 Then Click s	ubmit button and Enter Remark submit it	SKIPPED	0.000 s
17 Given Naviç	ate as a Reviewer	SKIPPED	0.001 s
18 Then click of	n Notify icon	SKIPPED	0.000 s
19 And Click F	rst record Action icon	SKIPPED	0.001 s
20 Then Appro	ve the record in Reviewer	SKIPPED	0.000 s
21 And Give R	emark and Submit	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
22	Given Navigate as a Checker	SKIPPED	0.000 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.000 s
25	Then Goto the Checker notification Icon	SKIPPED	0.000 s
26	And Click the First Action Icon	SKIPPED	0.000 s
27	Then Approve the Record in checker stage	SKIPPED	0.000 s
28	And Give the Remark and Submit it	SKIPPED	0.000 s
29	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
30	And Click on Accounting Setup module	SKIPPED	0.001 s
31	Then click sub module Accounting Category	SKIPPED	0.000 s
32	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

