

Cucumber Report

12 Jan 2023, 10:19:51 AM

Start : Jan 12, 10:19:34.914 AM

End : Jan 12, 10:19:49.555 AM

Duration : 14.641 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>user create the patty cash login details</u>	1	0	1	0	14.641 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user create the patty cash login details</u>	<u>Check report for fund requisition</u>	8	0	1	7	14.635 s


(F)- user create the patty cash login details

FAILED	<i>DURATION - 14.641 s</i>	Scenarios		Steps	
/ 10:19:34.914 AM // 10:19:49.555 AM /		Total - 1		Total - 8	
		Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Check report for fund requisition

FAILED	DURATION - 14.635 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 10:19:34.920 AM // 10:19:49.555 AM /				
user create the patty cash login details				
@KUBS_PC_UAT_006_001				

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1e947add0d28f7d2246def2bbb26c7f, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\org_chromium_driver_chrome_instance\108.0.5359.71\userDataDir\Profile 1}, goog:chromeOptions: {debuggerAddress: localhost:51482}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51482/devtools, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b1e947add0d28f7d2246def2bbb26c7f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	7.691 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Pettycash.feature:4) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.686 s
	screenshot		
			
2	Then click on report icon	SKIPPED	0.001 s
3	And user should navigate to reports menu	SKIPPED	0.003 s
4	Then user update the Excel sheet testdata for Pettycash	SKIPPED	0.000 s
5	Then click on temp grid button of fund requisition report	SKIPPED	0.001 s
6	And select the date to check the fund requisition details are displaying	SKIPPED	0.000 s
7	Then click in the view button to check	SKIPPED	0.000 s
8	Then the report is displaying all fund requisition details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
<u>(S) Check report for fund requisition</u>
<u>(F) user create the patty cash login details</u>



This site can't be reached

172.27.78.245 refused to connect.

- Try:
- Checking the connection
 - [Checking the proxy and the firewall](#)

ERR_CONNECTION_REFUSED

Reload

Details