

Cucumber Report

08-Mar-2022, 2:50:05 pm

Start : Mar 08, 2:49:24.019 pm

End : Mar 08, 2:50:03.976 pm

Duration : 39.957 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	39.957 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Check GRN Report	15	6	1	8	39.946 s

(F)- Check the Functionality of AR/AP Module


FAILED	DURATION - 39.957 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:49:24.019 pm // 2:50:03.976 pm /					

(S)- Check GRN Report

FAILED	DURATION - 39.946 s		Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:49:24.030 pm // 2:50:03.976 pm /				
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_003_003_TC_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts payable	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot 		
4	Then Click On GRN Eye Icon	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot 		
5	And Click On Search Icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot 		
6	Then Click on Table Row First Eye Icon	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then Enter the GRN status Active</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff14c3f5c003b59a89bb32fc33438323, findElement {using=xpath, value=//datatable-header[1]/div[1]/div[2]/datatable-header-cell[6]/div[1]/ion-input[1]/input[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60248/devtools..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ff14c3f5c003b59a89bb32fc33438323 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre>	FAILED	7.975 s


#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ARAP_CancellationOfGRN.enter_the_grn_status_active(ARAP_CancellationOfGRN.java:67) at ?.Enter the GRN status Active(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff14c3f5c003b59a89bb32fc33438323, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60248/devtools..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ff14c3f5c003b59a89bb32fc33438323 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	12.202 s
8	And Get BP Name and GRN Number	SKIPPED	0.001 s
9	Then Third Segment report Icon	SKIPPED	0.001 s
10	And Click main module Reports	SKIPPED	0.001 s
11	Then Click sub module GRN Report	SKIPPED	0.000 s
12	And Give Getted Business Partner Name	SKIPPED	0.000 s
13	Then Give Current business Date	SKIPPED	0.001 s
14	And Give GRN Status	SKIPPED	0.000 s
15	Then Click on View button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.259 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff14c3f5c003b59a89bb32fc33438323, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60248/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ff14c3f5c003b59a89bb32fc33438323</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 22-Oct-2022, language English, and user information Azentio Software (AZENTMAIN) and ANANT. The left sidebar contains a Finance menu with options: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area displays a 'Welcome, anant' message. The bottom navigation bar has 'Home' and 'Preference' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the GRN View table. The table has columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table contains 8 rows of data. The bottom navigation bar has 'Home' and 'Preference' buttons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Borton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Borton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022

168 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP
Module

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (22-Oct-2022), language (English), and user information (Azentio Software, (AZENTMAIN), ANANT). The left sidebar shows a menu with options like Finance, General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area is titled "GRN View" and contains a table with the following columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table lists 168 total GRN records, with the first 8 rows visible. The bottom navigation bar includes Home and Preference buttons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	Search Branch Co	Search GRN Num	Search Business F	Search Date	Search GRN Statu	Search Create By	Search Cre
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP
Module

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application interface with the GRN View report. The table lists 168 total GRN records, with the first 8 rows visible. The bottom navigation bar includes Home and Preference buttons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	Search Branch Co	Search GRN Num	Search Business F	Search Date	Search GRN Statu	Search Create By	Search Cre
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022