Cucumber Report

Start : Jan 24, 9:30:44.796 PM	*End : Jan 24, 9:31:32.281 PM*	*Duration : 47.485 s*
Features	Scenarios	Steps

| *PASSED - 1* *FAILED - 0* *SKIPPED - 0*	*PASSED - 1* *FAILED - 0* *SKIPPED - 0*	*PASSED - 18* *FAILED - 0* *SKIPPED - 0*

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	47.485 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	Check if supplimentary budget rejected from HO, the requested amount can not be used	18	18	0	0	47.482 s

(F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 47.485 s	Scenarios		Steps	
/ 9:30:44.796 PM // 9:31:32.281 PM /		Total - 1		Total - 18	
		Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check if supplimentary budget rejected from HO, the requested amount can not be used

| PASSED	DURATION - 47.482 s		Steps	
/ 9:30:44.799 PM // 9:31:32.281 PM /			Total - 18	
Checking the Supplementary Budget UAT functionality			Pass - 18	18
			Fail - 0	
@SupplementaryBudget_KUBS_BP_UAT_005_00-6			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	9.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	2.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
5	And click on add button on budget supplementary view page UAT	PASSED	2.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
6	Then fill the input fields UAT	PASSED	1.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record UAT	PASSED	2.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		
8	Then validate maker can submit the record UAT	PASSED	6.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
9	Then user login to checker1 UAT	PASSED	4.587 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
10	And click on notification icon UAT	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And click on action button button of the record which we want to approve UAT	PASSED	1.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.200 s
12	Then user approve the record UAT	PASSED	0.690 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.135 s
13	And user write the remark & submit the record UAT	PASSED	3.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.097 s
14	Then User should login to checker2 UAT	PASSED	4.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.125 s

#	Step / Hook Details	Status	Duration
15	Then click on open pool UAT	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot 		
16	And Verify for claming the record UAT	PASSED	1.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot 		
17	Then User should click on notification icon on reviewer2 home page UAT	PASSED	1.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot 		
18	Then Claim and reject the record UAT	PASSED	1.907 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if supplimentary budget rejected from HO, the requested amount can not be used	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if supplimentary budget rejected from HO, the requested amount can not be used

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if supplimentary budget rejected from HO, the requested amount can not be used (F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if supplimentary budget
rejected from HO, the requested amount
can not be used

(F) Checking the Supplementary Budget
UAT functionality

| | | Kastle Universal Banking | | 21-Oct-2021 | English ⌄ | | Azentio Software ⌄ | (AZENT-MAIN) | | | 🔔 | | 👤 CHECKER |

Configuration

🛠 ⇄ 📋

Security management

▶ Open pool ✏ 👁

← Open Pool
← Inbox

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	21186	667	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	21183	666	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20950	596	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20919	585	BUDGET_REGISTER	CHECKER		Budget Defination	LIMIT
CLAIM	20773	800	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr

25 total

|◁ ◁ **1** 2 3 4 5 ▷ ▷|

22 Appro... ✖ 11 Messa... ✖

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if supplimentary budget
rejected from HO, the requested amount
can not be used

(F) Checking the Supplementary Budget
UAT functionality

| | | Kastle Universal Banking | | 21-Oct-2021 | English ⌄ | | Azentio Software ⌄ | (AZENT-MAIN) | | | 🔔 | | 👤 CHECKER |

Configuration

🛠 ⇄ 📋

Security management

▶ Open pool ✏ 👁

← Supplementary Budget Creation   ℹ ViewSummary ✅ Approve ↻ Return ✖ Reject

* Budget Code	Budget Name	* Budget Type
BDG01	Head Office And Branch Renovation/Development	YEARLY

* Budget Year	* Branch	* Total Budget Amount
2022-2023	AZENT-MAIN ✖ ⌄	6,900.00 RUP

Amount Utilized	* Supplementary Amount Req	*
	100.00	RUP ✖ ⌄

Comments

Period	Existing	Supplementary Apportion Amount	New Amount
2022-2023	6,900.00	100.00	7,000.00

1 total

22 Appro... ✖ 11 Messa... ✖

⊞ Home   ▶ Preference