


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	0	1	0	26.141 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	Modificatin of the budget before HO approval	30	14	1	15	26.135 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT Budget Request and Allocation functionally

FAILED	DURATION - 26.141 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 12:58:10.354 pi	m // 12:58:36.495 pm /	Pass - 0	1	Pass - 14	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Modificatin of the budget before HO approval



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	This did type - which have a server 0 and the server 0 an		
2	Then click the Two Direction Icon	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

	Duration
## \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
3 And click to the Budget PASSED	1.112 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.117 s
screenshot	
# ● Control Control	
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon PASSED	0.349 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.292 s
screenshot	
10 10 10 10 10 10 10 10	
5 And click on the Add icon in Request and Allocation PASSED	0.259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.228 s
screenshot	
6 Then Current Budget Code PASSED	0.324 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.177 s
screenshot	

7 And select the Budget Year PASSED 0.216 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch PASSED 0.164 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox PASSED 0.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox PASSED 0.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox PASSED 0.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox PASSED 0.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox PASSED 0.170 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 Then click on the Branch AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Select Branch checkbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 creenshot 4 TETER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 creenshot 6 creenshot 7 DASSED 7 DASS		© Tarent		
Screenshot Secreenshot S	7		PASSED	
8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreens		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot FASSED O.134 s PASSED O.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot FASSED O.198 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then click on the Branch ok button PASSED O.170 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.342 s 0.342 s 0.342 s 0.342 s 0.342 s		Manual M		
screenshot 9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.198 s PASSED 0.136 s PASSED 0.170 s	8	Then click on the Branch	PASSED	0.164 s
9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the Branch ok button PASSED O.198 s O.136 s PASSED O.136 s PASSED O.170 s			PASSED	0.342 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button PASSED 0.136 s PASSED 0.170 s				
Screenshot 10 Then click on the Branch ok button PASSED 0.170 s	9	And Select Branch checkbox	PASSED	0.198 s
10 Then click on the Branch ok button PASSED 0.170 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
10 Then click on the Branch ok button PASSED 0.170 s		screenshot		
AFTER STER standsfinitions Hooks Class add Sexonobet (in queumber in un Scanaria)	10	Then click on the Branch ok button	PASSED	0.170 s
AFTER_5TEP - stepuelilitions.nooksClass.aduScreenshot(lo.cucumber.java.Scenano) PASSED 0.298 S		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
screenshot		screenshot]	


#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
11	Then select one currency we need	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	Screenshot ***********************************		
13	And click on the save button	PASSED	2.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.117 s
14	Then click on the Maker icon button	PASSED	0.912 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
	PARTICIPATION AND AND AND AND AND AND AND AND AND AN		
15	And Change the Amount Before Approval	FAILED	0.240 s
	org openga selenium. StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome-99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions//tstale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.n.ame: Windows 10', os.arch: 'amd64', os.version: '14.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.n.ame: Windows 10', os.arch: 'amd64', os.version: '14.0.0-rc-1', orgopenga.selenium.chrome. ChromeDriver Command. [2213dc7519f652c12765156ce1315094, is:ElementDisplayed (id-24637780-bd11-4a71-9c88-8bt02ca96e13)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80) (7f0488e8ba0dauserDataDir: C:UsersININDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:61143/) ayascriptEnabled: true, newborkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platorMame: WINDOWS, proxy. Proxy(), se:cdp: ws://localhost:61143/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), winhandledPromptBehavior: dismiss and notify, webauthnextension.cregBlob: true, webauthnextension.largeBlob: true, webauthnextension.largeBlob: true, webauthnextension.largeBlob: true, webauthnextension.argeBlob: true, webauthnextension.argeBlob: true, webauthnextension.argeBlob: true, webauthn.virtual.aduthenticators: true) Element: [ChromeDriver: chrome on WINDOWS (c213dc7519f692d127651c6c1315694)] -> xpath: //ion-col[4/app-kub-lov/span/ng-select/div/div/div/2]/span[2]] Session ID: c213dc7519f692d127651c6c1315694] at java.base/jdk.internal.reflect.NativeConstructorAccessorimpl.newInstance(NativeConstructorAccessorImpl.java.77) at java.base/jdk.internal.reflect.NativeConstructorAccessorimpl.newInstance(NativeConstructorA		
	αι σι θι		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. change_the_amount_before_approval(Budget_BudgetRequestandAllocation_UAT.java:912) at ?.Change the Amount Before Approval(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:185) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	* * * * * * * * * * * * * * * * * * *		
16	And click on the save button	SKIPPED	0.000 s
17	And click on the Record submit	SKIPPED	0.002 s
18	Given Azentio Url login as Reviewer	SKIPPED	0.001 s
19	Then Click on Reviewer Notification icon	SKIPPED	0.000 s
20	And Click on to Reviewer Action button	SKIPPED	0.000 s
21	Then Click on to Approve button in Reviewer	SKIPPED	0.000 s
22	And Submit the record in reviewer	SKIPPED	0.000 s
23	Given Azentio Url login as checker page	SKIPPED	0.000 s
24	Then click on the security management	SKIPPED	0.000 s
25	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
26	Then Click the claim option icon	SKIPPED	0.001 s
27	And Click on the checker notification icon	SKIPPED	0.000 s
	Then click the checker action icon	SKIPPED	0.000 s
28	Then click the checker action con	SIKII I LD	0.000 3
28 29	And Approve the Record in checker	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

