

Cucumber Report

15-Feb-2022, 3:30:51 pm

Start : Feb 15, 3:30:06.971 pm

End : Feb 15, 3:30:49.432 pm

Duration : 42.461 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Asset Revaluation</u>	1	0	1	0	42.461 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Asset Revaluation</u>	<u>Alter the Value of an existing asset (Revalued)</u>	35	11	1	23	42.456 s





(F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 42.461 s	Scenarios		Steps	
/ 3:30:06.971 pm // 3:30:49.432 pm /		Total - 1		Total - 35	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	



(S)- Alter the Value of an existing asset (Revalued)

<div>FAILED</div> <div>DURATION - 42.456 s</div>		<div></div>	<div>Steps</div> <div>Total - 35</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 23</div>	<div></div>
<div>/ 3:30:06.976 pm // 3:30:49.432 pm /</div>				
<div>Check the functionality of Asset Revaluation</div>				
<div>@KUBS_FAT_UAT_012_003</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	12.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
			
2	Then Choose Second Segment Icon	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And fixed Asset Module	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot 		
4	Then Asset Revaluation submodule Eye Icon	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot 		
5	And Click Table Row first Eye Icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot 		
6	Then Store the Reference No	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Add Icon button	PASSED	6.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
8	Then Give Asset Reference Number	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
9	And Select Asset Item Number	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
10	Then Alter the Book Value	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then save the Revaluation record	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
12	And Go to Maker Notification	FAILED	4.322 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0257c3532d54687313623b747f60e318, clickElement {id=97324b5d-aa6d-4647-aa30-4eccfea48b12}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-remote-debugging-chrome-98.0.4758.82}, goog:chromeOptions: {debuggerAddress: localhost:59993}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59993/devtools/page/0257c3532d54687313623b747f60e318, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0257c3532d54687313623b747f60e318)] -> xpath: //ion-button[@ng-reflect-router-link='/inbox']]</p> <p>Session ID: 0257c3532d54687313623b747f60e318</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluation.go_to_maker_notification(FIXEDASSET_AssetRevaluation.java:138) at ?.Go to Maker Notification(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:94) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0257c3532d54687313623b747f60e318, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:59993}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59993/devtoo..., se:cdpVersion: 98.0.4758.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0257c3532d54687313623b747f60e318 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	12.177 s
13	Then Select the first Action icon	SKIPPED	0.001 s
14	And Submit Record in maker	SKIPPED	0.001 s
15	Then Give Remark and Submit it	SKIPPED	0.000 s
16	Given Launch Azentio Reviewer Url	SKIPPED	0.000 s
17	And Reviewer Notification icon	SKIPPED	0.001 s
18	Then submitted record from maker	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
19	And Approve icon from Reviewer End	SKIPPED	0.001 s
20	Then Enter remark and submit Record	SKIPPED	0.000 s
21	Given Launch Azentio Checker Url	SKIPPED	0.000 s
22	Then Click the Security management	SKIPPED	0.000 s
23	And Click the open pool Note icon	SKIPPED	0.000 s
24	Then Claim the record from Checker	SKIPPED	0.000 s
25	And Checker Notification icon	SKIPPED	0.000 s
26	Then Action Icon from claimed record	SKIPPED	0.002 s
27	And Press Approve icon	SKIPPED	0.001 s
28	Then Submit Record from Checker	SKIPPED	0.001 s
29	Given Navigate the Maker Url	SKIPPED	0.000 s
30	Then Choose Second Segmant Icon	SKIPPED	0.000 s
31	And fixed Asset Module	SKIPPED	0.000 s
32	Then Asset Revaluation submodule Eye Icon	SKIPPED	0.001 s
33	And Click search icon button	SKIPPED	0.000 s
34	Then Give the Asset Referance Number	SKIPPED	0.000 s
35	When capture Asset Grid view List	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.241 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0257c3532d54687313623b747f60e318, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59993}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59993/devtoo..., se:cdpVersion: 98.0.4758.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0257c3532d54687313623b747f60e318</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)


(F) Check the functionality of Asset
Revaluation



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
 - Asset creation
 - Asset transfer
 - Asset undertaking
 - Asset sale
 - Asset allocation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation View

Actions	entity	Branch Code - Name	Asset Reference No	Item No	Book Value	Old Book Value	Status
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	33333	50000	50000	Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	Demo	50000		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-desk_AZENTM/	123	5000		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	2121	212121		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-desk_AZENTM/	123	555		Active
	Azentio Software	HO0001 - Corporate Br	ELECTRONICS-LAP001	1001	100000		Active
	Azentio Software	AZENTMAIN - Azentio N	MACHINARY-AIRCOND	1002	100000		Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	100	1000000		Active

143 total

1 2 3 4 5

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation View

Actions	entity	Branch Code - Name	Asset Reference No	Item No	Book Value	Old Book Value	Status
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	33333	50000	50000	Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	Demo	50000		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-desk_AZENTM/	123	5000		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	2121	212121		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-desk_AZENTM/	123	555		Active
	Azentio Software	HO0001 - Corporate Br	ELECTRONICS-LAP001	1001	100000		Active
	Azentio Software	AZENTMAIN - Azentio N	MACHINARY-AIRCOND	1002	100000		Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	100	1000000		Active

143 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number

01-001-adjustable table_BOB667_4435

Asset Code

01-001-adjustable table

* Item Number

33333

Item Description

333333

* Book Value

50,000.000

Status

ACTIVE

INR

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number	Asset Code	Asset Description
* Item Number	Item Description	* Book Value INR

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number	Asset Code	Asset Description
01-001-adjustable table_BOB667_4435	01-001-adjustable table	adjustable table
* Item Number	Item Description	* Book Value INR

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number	Asset Code	Asset Description
01-001-adjustable table_BOB667_4435	01-001-adjustable table	adjustable table

* Item Number	Item Description	* Book Value
33333	333333	50,000.000 INR

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number	Asset Code	Asset Description
01-001-adjustable table_BOB667_4435	01-001-adjustable table	adjustable table

* Item Number	Item Description	* Book Value
33333	333333	50,000.000 INR

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Revalued)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

* Asset Reference Number	Asset Code	Asset Description
01-001-adjustable table_BOB667_4435	01-001-adjustable table	adjustable table

* Item Number	Item Description	* Book Value	
33333	333333	50,000.00	INR

Inventory management

Petty cash

Bank recon

22 Appro... 11 Messa...

Home Preference