


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	2 m 45.221 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	10	10	0	0	2 m 45.204 s
		Purchases					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 2 m 45.221 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 3:27:16.410 PN	1 // 3:30:01.631 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a contract for an active vendor with expense type Purchases

PASSED DURATION - 2 m 45.204 s	80 -						-		-1	-1			Steps		
/ 3:27:16.427 PM // 3:30:01.631 PM /	60 -							- 					Total - 10		
AR/AP Module	40 -		‡ -				- 	-¦	-				Pass - 10	10	ı
@AR/AP	20 -						-		- -	-		- +	Fail - 0 Skip - 0		
@KUBS_AR/AP_UAT_001_001_TC_001_01		1	2	3	3	4	5	6	7	8	9	10			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 30.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.573 s
	screenshot		
	### #### #############################		
2	And user should navigate to accounts payable menu	PASSED	3.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		


3 When click on eye button of vendor contract AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s PASSED 0.206 s		ACCUTO 10 10 10 10 10 10 10 10 10 10 10 10 10 1		
screenshot 4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.206 s	3	When click on eye button of vendor contract	PASSED	0.833 s
4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.611 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.632 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.632 s				
Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s	4	And click on add button to create contract	PASSED	1.738 s
5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.632 s
5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.004 s 0.189 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.189 s		The State St		
Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s	5	And user update the data set ID for vendor contract	PASSED	0.004 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.127 s 0.206 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		ABSTON Value Age		
	6	And Fill the required fields to create contract	PASSED	30.127 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
		screenshot		

#	Step / Hook Details	Status	Duration
	AND SECOND STATE OF THE PROPERTY OF THE PROPER		
7	And Save the Record from maker	PASSED	0.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		
8	Then click on the Notification icon	PASSED	1.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
	A SANTO 1 No 10 No		
9	Then store the Reference ID and open the vendor contract record	PASSED	3.959 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
	AND SECOND SECON		
10	Then click submit and enter remark for vendor contract	PASSED	7.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.512 s
	screenshot]	
		-	


DETAILED SECTION -- 7 --

	Duration


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

