


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	To check BudgetDefinition moduel feature	1	0	1	0	32.598 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Checker can approve the record which is	35	21	1	13	32.590 s
	feature	approved by reviewer					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 32.598 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 6:00:40.194 PI	M // 6:01:12.792 PM /	Pass - 0	1	Pass - 21	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- To Verify Checker can approve the record which is approved by reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
	From Section 1900 Annihology (Section 1900 Ann		
2	Then click on budget configuration Menu	PASSED	0.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

3 And click on budget definition sub menu and click on eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then search the budget code want to update PASSED 0.284 s 0.264 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot + PASSED 0.284 s
SCREENSHOT
Q contraction The contract
4 Then search the budget code want to update 0.264 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s
Screenshot
5 And select the budget code PASSED 0.153 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.300 s
screenshot
The contract The
6 And update the budget code PASSED 3.236 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s

#	Step / Hook Details	Status	Duration
	# On the Contract of the Contr		
7	Then update the budget budget type	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
	## OF CONTRACTORS PRODUCTION STATE OF CONTRACTORS PRODUCTION P		
8	Then update warning percentage	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	Screenshot ** Outcomes** ** Outcomes**		
9	Then update budget name	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texastriction** **Texastrictio	PASSED	0.154 s
10	Then update remark	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ Contraction State ■ Contraction State		
11	And click on save after update all the details	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
	Section Section 2		
12	Then Click on notification icon	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.369 s
13	And select the first record	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.370 s
14	Then click on submit button	PASSED	0.688 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The passed pass		# 1 Annual Sept. S		
screenshot Ad Click on submit 1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Bi Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) BASED 0.142 s	15		PASSED	
After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 When click on submit button save the reviewer id AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_step- stepdefinitions.HooksClass.addScreens		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.426 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.426 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		# Description of the Control of the		
screenshot Type of the property of the project of	16	And click on submit	PASSED	0.056 s
When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Biguin a provided to URL and login as a reviewer passed as		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.426 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.426 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s		## O TOTAL PROPERTY OF THE PRO		
Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.142 s	17	When click on submit button save the reviewer id	PASSED	0.663 s
18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		10 10 10 10 10 10 10 10		
	18	Given navigate to URL and login as a reviewer	PASSED	6.426 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
		screenshot		

#	Step / Hook Details	Status	Duration
	# \$ 1000 to the control of the contr		
19	Then click on notification icon	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
	The state of the s		
20	When click on notification icon to check reviewer can get a record which is submitted by maker	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	Solution language and		
21	And click on action button	PASSED	0.062 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.458 s
22	Then verify the updated budget record is matched with maker submited record	FAILED	0.125 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-col[3]//ng-select/div/div/span[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2457ad665ec794d62c93fbf09c0a377, findElement {using=xpath, value=//ion-col[3]//ng-select/div/div/div/span[2]}] Capabilities		


DETAILED SECTION -- 10 --

CacceptinsecureCests: false, browsentName: chrome, invoxentVersion 9.6.0.4664.45, (TotelotEbablashsuperInsubinC-114appbatabl) goog-chromo-options: (debuggerAddress: locates58088), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy0, see dy. ws/fixediants-58088/devox	#	Step / Hook Details	Status	Duration
23 And approve the record in reviewer stage 24 Then enter remark then submit SKIPPED 0.000 s SKIPPED 0.002 s		(Föe4c1bb2ab46 userDataDir: C:\Users\NININDC=\tak2patalL), goog:chromeOptions: (debuggerAddress: localhost-58088), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost-58088/devtoo, se.cdp\version: 96.0.4664.45, set\windowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 300000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: dd257a665e794d62c93fb09c0a377 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.DativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.java:1640 at org.openqa.selenium.remote.RemoteWebDriver.java:170 at org.openqa.selenium.remote.RemoteWebDriver.java:170 at org.openqa.selenium.remote.RemoteWebDriver.java:170 at org.openqa.selenium.remote.RemoteWebDriver.java:170 at org.openqa.selenium.remote.RemoteWebDriver.java:170 at org.openqa.selenium.remote.RemoteWebDriver.java:1	PASSED	0.180 s
24 Then enter remark then submit SKIPPED 0.002 s		State of the control of the		
	23	And approve the record in reviewer stage	SKIPPED	0.000 s
	24	Then enter remark then submit	SKIPPED	0.002 s
	25	Given navigate to URL and login as a checker	SKIPPED	0.001 s
26 Then click on security management menu SKIPPED 0.000 s	_	·		


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.000 s
29	And click on notification icon in checker stage	SKIPPED	0.000 s
30	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
31	And click on action button in checker stage	SKIPPED	0.000 s
32	Then click on approve in checker stage	SKIPPED	0.000 s
33	Then validate the updated budget record	SKIPPED	0.000 s
34	And Write remark in alert	SKIPPED	0.000 s
35	And Submit the record from checker	SKIPPED	0.000 s


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --




EXPANDED SECTION -- 18 --




EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --





EXPANDED SECTION -- 22 --

