Cucumber Report

Start : Dec 06, 2:50:49.385 pm	End : Dec 06, 2:53:19.847 pm	Duration : 2 m 30.462 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	2 m 30.462 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Bill is cancelled	16	0	1	15	2 m 30.457 s

(F)- AR/AP Module

FAILED	DURATION - 2 m 30.462 s	Scenarios		Steps	
/ 2:50:49.385 pm // 2:53:19.847 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 0 Fail - 1 Skip - 15	16

(S)- Verify Balance sheet post Bill is cancelled

FAILED	DURATION - 2 m 30.457 s		Steps	
/ 2:50:49.390 pm // 2:53:19.847 pm /			Total - 16 Pass - 0 Fail - 1 Skip - 15	16
AR/AP Module				
@KUBS_AR/AP_UAT_003_004_TC_02 @AR/AP				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	1 m 26.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Otp')]"} (Session info: chrome=108.0.5359.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [18e48074ec1c2af84f1f01a957ea9572, findElement {using=xpath, value=//p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.71, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53757}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53757/devtoo..., se:cdpVersion: 108.0.5359.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18e48074ec1c2af84f1f01a957ea9572
	  at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:44) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00075/eclipse-workspace/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:136) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	1.339 s
2	When click the account payable main module	SKIPPED	0.001 s
3	And click the eye icon of invoice bill booking	SKIPPED	0.001 s
4	And click the search icon in list view	SKIPPED	0.000 s
5	And user update the Excelsheet Testdata for balancesheet	SKIPPED	0.001 s
6	And search invoice type as expense	SKIPPED	0.000 s
7	And click the first eye icon in the list view of cancelled invoice bill	SKIPPED	0.000 s
8	And get the invoice number from the bill viewed	SKIPPED	0.000 s
9	And get buisness partner name and Bill Status	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.001 s
11	And click the financial reporting	SKIPPED	0.000 s
12	And click the balance sheet report	SKIPPED	0.001 s
13	Then Fill branch details for report	SKIPPED	0.000 s
14	And select the date	SKIPPED	0.001 s
15	And click the view icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module