Cucumber Report

Start : Jan 18, 6:09:52.529 PM	*End : Jan 18, 6:10:48.342 PM*	*Duration : 55.813 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 23

#	Feature Name	T	P	F	S	Duration
1	To create Bank Recon details	1	0	1	0	55.813 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create Bank Recon details	Create format master and Data matching Rules for a specific Bank and Account Type	30	6	1	23	55.808 s

(F)- To create Bank Recon details

| FAILED	DURATION - 55.813 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 6:09:52.529 PM // 6:10:48.342 PM /		Pass - 0	**1**	Pass - 6	**30**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

(S)- Create format master and Data matching Rules for a specific Bank and Account Type

FAILED	DURATION - 55.808 s		Steps	
/ 6:09:52.534 PM // 6:10:48.342 PM /			Total - 30	
To create Bank Recon details			Pass - 6	**30**
@KUBS_BRS_UAT_001_001_TC_001			Fail - 1	
@MultiAuth			Skip - 23	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.739 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.945 s
	screenshot		
2	Then Click on Direction Left	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.345 s
4	Then click on Bank Recon format eye button	PASSED	0.515 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.544 s
5	Then Click on Inventory Maintenance Add button	PASSED	1.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.623 s
6	Then user update the Excel sheet testdata for BankRecon	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.260 s
7	Then fill the Bank Reconciliation Format	FAILED	3.852 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="ad6ec7adcecb"> is not clickable at point (1094, 393). Other element would receive the		

#	Step / Hook Details	Status	Duration

	click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [74439e891c00294eb5eb73bd0de8dc26, clickElement {id=e1e7be97-6c86-4a2f-8ee6-b7f4aae3347c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61147}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61147/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (74439e891c00294eb5eb73bd0de8dc26)] -> xpath: //ion-row[1]/ion-col[9]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: 74439e891c00294eb5eb73bd0de8dc26
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.BankRecons.fill_the_bank_reconciliation_format(BankRecons.java:141)
	  at ?.fill the Bank Reconciliation Format(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then fill the Bank Reconciliation PlaceHolder	SKIPPED	0.000 s
9	Then Click on Inventory Item Save button	SKIPPED	0.002 s
10	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
11	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
12	Then File Data matching rule	SKIPPED	0.000 s
13	Then Click on Inventory Item Save button	SKIPPED	0.000 s
14	Then click back button	SKIPPED	0.001 s
15	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
16	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
17	Then File Transaction Data matching rule	SKIPPED	0.000 s
18	Then Click on Inventory Item Save button	SKIPPED	0.000 s
19	Then click back button	SKIPPED	0.000 s
20	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
21	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
22	Then File Deposit Data matching rule	SKIPPED	0.000 s
23	Then Click on Inventory Item Save button	SKIPPED	0.000 s
24	Then click back button	SKIPPED	0.000 s
25	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
26	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
27	Then File Withdrawals Data matching rule	SKIPPED	0.001 s
28	Then Click on Inventory Item Save button	SKIPPED	0.000 s
29	Then Click on Inventory Item Notification	SKIPPED	0.000 s
30	And Select and Submit the record	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create format master and Data matching Rules for a specific Bank and Account Type	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create format master and Data matching Rules for a specific Bank and Account Type	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create format master and Data matching Rules for a specific Bank and Account Type

(F) To create Bank Recon details

Bank Format Master List View

Actions	Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
👁 ✏	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
👁 ✏	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
👁 ✏	ICICIBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
👁 ✏	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
👁 ✏	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
👁 ✏	STATE BANK OF INDIA	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022			1002437	30-Sep-2022

6 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create format master and Data matching Rules for a specific Bank and Account Type

(F) To create Bank Recon details

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name

* Applicable Account Type

* Upload File Extension

* Separator

* Allow unadjust entry from Bank statement

Effective Date

Format Status — ACTIVE

* Allow Value Date Upto

Summery Lines To Be Skipped *

File Name Prefix *

Bank Reconciliation Placeholder

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details