Cucumber Report

| Start : Mar 03, 10:52:10.423 am	End : Mar 03, 10:52:46.611 am	Duration : 36.188 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 21

Features

1

0 %

Scenarios

1

0 %

Steps

33

36 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixes Asset Return	1	0	1	0	36.188 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixes Asset Return	Check if the replaced asset can be returned to its vendor	33	12	0	21	36.182 s

(F)- Check the Functionality of the Fixes Asset Return

| FAILED	DURATION - 36.188 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 10:52:10.423 am // 10:52:46.611 am /		Pass - 0	1	Pass - 12	33
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 21	

(S)- Check if the replaced asset can be returned to its vendor

FAILED	DURATION - 36.182 s		Steps	
/ 10:52:10.429 am // 10:52:46.611 am /			Total - 33	
Check the Functionality of the Fixes Asset Return			Pass - 12	33
			Fail - 0	
@KUBS_FAT_UAT_007_005			Skip - 21	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio url	PASSED	12.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	Then Click Second Segmant Icon	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click main module fixed Asset Module	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
4	Then Asset Replacement Store the Referance No	PASSED	1.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
5	Then Asset Return Click on Eye Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
6	And Asset Return Add Icon button	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Give Asset Replacement Referance Number	PASSED	0.558 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
8	And Select Asset Return Item Number	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
9	Then Click on save button in asset Return	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
10	And Click on Maker Notification icon button	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click on Action icon	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.624 s
12	And Approve the Asset Return Record	PASSED	2.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.122 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca5864ba9396a816b9047afcbc76c2ec, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51424}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51424/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ca5864ba9396a816b9047afcbc76c2ec
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
13	Then Enter Remark and click submit button	SKIPPED	0.001 s
14	Given Launch the Azentio URL as Reviewer	SKIPPED	0.000 s
15	And Reviewer Notification icon button	SKIPPED	0.000 s
16	Then Click ACtion submitted record from maker	SKIPPED	0.001 s
17	And Click Approve button from Reviewer End	SKIPPED	0.000 s
18	Then Enter remark then submit Record	SKIPPED	0.000 s
19	Given Launch the Azentio Checker URL	SKIPPED	0.000 s
20	Then Main module Security management	SKIPPED	0.000 s
21	And Sub module open pool Edit icon	SKIPPED	0.000 s
22	Then Claim the record in checker	SKIPPED	0.000 s
23	And Click Checker Notification icon button	SKIPPED	0.001 s
24	Then Action Icon from claim record	SKIPPED	0.001 s
25	And Click Approve icon button	SKIPPED	0.000 s
26	Then Submit the Record from Checker	SKIPPED	0.001 s
27	Given Navigate the Azentio url	SKIPPED	0.000 s
28	Then Click Second Segmant Icon	SKIPPED	0.000 s
29	And Click main module fixed Asset Module	SKIPPED	0.000 s
30	Then Asset Return Click on Eye Icon	SKIPPED	0.000 s
31	And Mouse click on search icon	SKIPPED	0.000 s
32	Then Enter Asset Referance No in that field	SKIPPED	0.001 s
33	When capture the Asset Grid view list	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.275 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca5864ba9396a816b9047afcbc76c2ec, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51424}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51424/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ca5864ba9396a816b9047afcbc76c2ec
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return